

KELSEY'S Rhododendrons, Azaleas

and Other Hardy

Native American Plants

Grown in the Carolina Mountains

HIGHLANDS NURSERY, Saginaw, N. C.

at 3,800 feet elevation.

and

BOXFORD NURSERY, Boxford, Mass.

Information

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk steamship lines, deliveries to northern and eastern points are quick and rates are low. See Boxford Nursery List also.

SHIPMENTS OF "COLLECTED" RHODODEN-DRON MAXIMUM and KALMIAS are from my special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best elumps come from the South, from high altitudes. "COLLECTED" RHODODENDRON CATAWBI-ENSE comes only from the South.

MY NURSERIES ARE UNIQUE, being the first to grow Native American Ornamentals, and having now the only large and complete stock of Hardy American Plants in existence.

SHIPPING BEGINS IN SEPTEMBER, when I send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November; and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to me, when I use my best judgment, but assume no risk.

EXPORT SHIPMENTS reach the most remote countries in perfect condition; I have exported for over twenty-five years, and know how to pack.

DESCRIPTIVE CATALOGS, beautifully illustrated, are mailed on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given. Send for "How to Grow Rhododendrons Successfully." Always address

HARLAN P. KELSEY, Owner To Landscare A. SALEM, MASS., U. S. A.

cther Public Institutions a special discount of 10%



Views af Grandfather Mountain, 5,978 feet elevation in the Carolina Mountains, at the base af which is located Highlands Nursery, 3,800 feet elevation.



Grandfather Mountain is the home of the Rarest Hardy American Rhododendrons and Azaleas, the beautiful Carolina Hemlock, Tsuga caroliniana and other rare plants.



This region is the great caal Summer Resart far thausands fram the "Piedmant" sections of the Sauth.

75.30

CATALOG OF HIGHLANDS NURSERY

At my Highland Nursery, Pincola (Saginaw P. O.), North Carolina, 3,800 ft. elevation, on the crest of the Alleglany Mountains, one may see Rhododendrons, Azaleas, Leucothoës, Kalmins and Andromedas growing in all sizes by tens of thousands in single species, and nowhere else can be found such a collection of rare American plants of unquestionable hardiness—the best for American gardens.

The Carolina Mountains is the native home of the most beautiful Broad-leaved Evergreens and Ericaccous Shrubs. Highlands Nursery not only ships direct to customers, but is a great propagating plant, supplying material for my Boxford Nursery.

DECIDUOUS AND EVERGREEN Trees, Shrubs and Woody Vines

OTE.—All plants are transplanted and nursery-grown, unless plainly marked otherwise.

This is a catalog of nursery-grown plants growing at my Highlands Nursery, Saginaw, North Carolina. For catalog of Boxford Nursery, see pages following page 10.

	Each	10	100	1 000
*Ables concolor. 6 to 12 in		\$1 25	\$10 00	
*fraserl. 6 to 12 iu	15	75	6 00	\$10 00
1 to 11/2 ft	20	1 25	10 00	90 00
1½ to 2 ft	40	2 50	22 50	200 00
2 to 3 ft		5 00	10 00	
Acer pennsylvanicum. 1 to 2 ft	20	1 00	8 50	
2 to 3 ft		1 50	12 50	
3 to 4 ft		2 00		
saccharum. Sugar Maple. 6 to 12 in		25	2 00	15 00
1 to 2 ft		50	4 00	25 00
2 to 3 ft		60	5 00	10 00
3 to 4 ft		75	6 00	10 00
spleatum. 1 to 2 ft		1 00	8 50	
2 to 3 ft		2 00	0 00	
3 to 4 ft		3 50	30 00	
Adelia acuminata. 2 to 3 ft		1 00	00 00	
Æsculus octandra. 6 to 12 in., seedlings	10	50	4 00	
1 to 2 ft		75	1 00	
Alnus alnobetula. 2 to 4 ft., clumps	50	3 00	25 00	
rugosn. 1 to 2 ft		1 50	20 00	
Amelanchier botryaplum. 6 to 12 in.		75	6 00	
1 to 2 ft	20	1 00	8 50	
	20	1 25	10 00	
2 to 3 ft				
3 to 4 ft	35		17 50	
4 to 6 ft	50	3 00	25 00	
Ampelopsis quinquefolia, var. engel-	15	75	0.00	FO 00
manni. Light		75 1 25	6 00 10 00	50 00
*Andromeda (Plerls) florlbunda.	20	1 20	10 00	
*Andromeda (Plerls) flor l bunda. Mountain Fetter Bush.				
	1 50	10 00	90 00	
6 to 12 in., elumps		15 00		
1 to 136 ft., clumps	$\frac{2}{25}$		$\frac{125}{12} \frac{00}{50}$	
Aralia spinosa. 1 to 3 ft				
Aronia arbutifolia. 6 to 12 in	20	1 25	10 00	
1 to 2 ft	30	1 75	15 00	
2 to 3 ft	40	2 50	22 50	
3 to 4 ft	75	1 00	37 50	
erythrocarpa, Dwarf varlety.	0.5	0.00	15 50	
1 to 2 ft	35	2 00	17 50	
2 to 3 ft	50	3 00	25 00	
nigra. Shining black fruit.	00	1.05	10.00	00.00
1 to 2 ft	20	1 25	10 00	00 00
2 to 3 ft	35	2 00	17 50	
3 to 1 ft	60	3 50	32 50	

HARDY AMERICAN AZALEAS

	Each	10	100	1,000
Azalea arborescens. Fragrant White				
Azalea. 6 to 12	\$0 35	\$2 00	\$17 50	
1 to 1½ ft	60	3 50	32 50	
1½ to 2 ft	75	5 00	40 00	
6 to 12 in., elumps	1 00	6 00	50 00	
1 to 1½ ft., elumps	1 25	8 50	75 00	
1½ to 2 ft., elumps	2 00	15 00	125 00	
2 to 3 ft., clumps		30 00	260 00	
calendulacea (lutea). Great Flame				
Azalea. 6 to 12 in	25	1 50	12 50	\$100 00
1 to 1½ ft	40	2 50	22 50	200 00
1 ½ to 2 ft	50	3 00	25 00	225 00
2 to 3 ft	1 00	6 00	50 00	
1 to 1½ ft., elumps	75	4 00	37 50	300 00
1½ to 2 ft., elumps	1 00	6 50	62 50	
2 to 3 ft., elumps	1 50	10 00	90 00	
PUPPCPERS ARE MARKED		FF A S'	PAR (*)	

TREES, SHRUBS AND VIN	FC	confin	han	
Azaiea nudiflora. Pinxter Flower. E.	ach	10	100	1,000
6 to 12 in\$0 1 to 1½ ft	25 40	\$1 50 2 50	\$12 50 22 50	\$100 00
6 to 12 in., clumps 1 to 1½ ft., clumps	50 75	3 00 4 00	27 50 37 50	
vaseyi. Southern Azalea. 6 to 12 in 1 to 1½ ft.,	40 60	2 50 3 50	22 50 32 50	
viscosa. 6 to 12 in	25 35	1 50 2 00	12 50 17 50	100 00 150 00
1½ to 2 ft	60 75	3 50 4 00	32 50 37 50	100 00
1 to 1½ ft., clumps	00	6 00 2 00	50 00 17 50	
Berberis repens. 3 to 6 in	75 35	4 00 2 00	37 50 17 50	
6 to 8 ft	50 85	3 00 5 00	27 50	
8 to 10 ft 1utea. 8 to 10 ft *Bignonia crucigera. 6 to 12 in	85 20	5 00 1 00	8 50	75 00
Butneria (Calycanthus) fertilis.	20			15 00
1 to 2 ft., elumps	40 15	1 00 2 50 75	8 50	
2 to 3 ft	20 40	75 1 25 2 50	6 00 10 00	
3 to 4 ft	20 25	2 50 1 00 1 50	8 50 12 50	
3 to 4 ft	35	2 00	18 00	
6 to 8 ft	50 25	3 00 1 50	27 50 12 50	
1 to 2 ft	35 50	2 00 3 00	17 50 25 00	
Celastrus orbiculatus, var. punctatus.	20	1 00	8 50	
2 to 3 ftscandens. 6 to 12 in	25 20	1 50	12 50 8 50	
1 to 2 ft	25 35	1 50 2 00	12 50 17 50	
3 to 4 ft	40 25 35	2 50 1 50 2 00	12 50 17 50	
Clethra acuminata. Southern Pepper Bush 1 to 2 ft	20	1 00	8 50	
2 to 3 ft	25 75	1 50 4 00	12 50 37 50	
	25	7 50	01 00	
6 to 12 in	20 35	1 00 2 00	8 50 17 50	
1 to 2 ft., elumps	75	4 00	37 50	
6 to 12 in	20 25	1 00 1 50	8 50 12 50	
Cornus amomum. 3 to 4 ft	20 15	1 00 75	8 50 0 00	
1 to 2 ft	25 35	1 50 2 00	12 50 17 50	
1 to 2 ft., clumps	40 60	2 50	22 50	
3 to 4 ft., clumps rostrata. 6 to 12 in	85	3 50 5 00 75	32 50 40 00	KO 00
1 to 2 ft	15 20	75 1 00	0 00 8 50	50 00 75 00
2 to 3 ft	20 25	1 25	10 00 12 50	100 00
2 to 3 ft., clumps Cratægus coccinea. 2 to 3 ft	40 30	2 50 1 75	22 50 15 00	FO 00
punctata. 6 to 12 in	15 20	75 1 00	0 00 8 50	50 00
2 to 3 ft	25 35	1 50 2 00	12 50 17 50	
4 to 0 ft	75 15	4 00 75	37 50 0 00	
Dendrium buxifolium. See Leiophylium Diervilla diervilla. 6 to 12 in	20	1 25	10 00	
sessilifolia. 6 to 12 in., seedlings i to 2 ft	15 35	2 00	6 00 17 50	
rivularis. 1 to 2 ft	25 20	1 50	12 50 8 50	
Direa palustris. 6 to 12 in Euonymus americanus. 1 to 2 ft	25 25	1 50 1 50	12 50 12 50	
Fraxinus americana. 2 to 3 ft	60 20	3 50 1 00	30 00 8 50	
3 to 4 ft	20 20	1 25 1 00	10 00 8 50	
4 to 6 ft 0 to 8 ft	30 50	1 75 3 00	15 00	
1 to 1½ ft	20 25	1 00 1 50	8 50 12 50	
ursina. 1 to 2 ft., clumps	40	2 50		
Silver Bell. 6 to 12 in 1 to 2 ft	20 25	1 00 1 50	8 50 12 50	
2 to 3 ft EVERGREENS ARE MARKED	40 WI1	2 50	22 50	
ATAMORED AND MARKED	17 7 1	л э	TAR (*)	

TREES, SHRUBS AND VIN	ES,	conti	nued	
1 to 2 ft	15 20	10 \$0 75 1 25	100 \$6 00 10 00	1,00
2 to 3 ft	35 20 30 40	2 00 1 25 1 75 2 50	10 00 15 00 20 00	
*Hypericum aureum. 6 to 12 in., seedlings 1 to 2 ft	15 20	75 1 25	6 00	
2 to 3 ft *densifiorum. 1 to 2 ft 2 to 3 ft	35 15 20 30	2 00 75 1 00 1 75	6 00 8 50 15 00	\$60 00
3 to 4 ft* *prolificum. 6 to 12 in	20 35	1 00 2 00	8 50 17 50	
Ilex decidua. 1 to 2 ft	25 35 50	1 50 2 00 3 00	12 50 17 50	
*glabra. 6 to 12 in monticola. Mountain Holly.	50 30	3 00 1 75	27 50 15 00	
6 to 12 in	20 20	1 00 1 25	8 50 10 00	00 00
2 to 3 ft	30 60 00	1 75 3 50 6 00	15 00 32 50 50 00	
*opaca. American Holly. 0 to 12 in 1 to 1 1/4 ft	40 50	2 50 3 00	20 00 27 50	180 00
1 ½ to 2 ft	75 25 25	4 00 8 00 1 50	37 50 60 00	
verticiliata. 0 to 12 in	35 25	1 50 2 00 1 50	12 50 17 50	
Itea virginica. 1 to 2 ft. clumps 2 to 3 ft., clumps	30 50	1 75 3 00	15 00 25 00	
Juniperus virginiana. 0 to 12 in 1 to 2 ft *Kalmia angustifolia. 0 to 12 in	20 40 20	1 25 2 50 1 25	10 00 22 50	00 00
1 to 1½ ft* *latifolia. Mountain Laurel. 3 to 6 in.	35 10	2 00 50	10 00 17 50 4 00	30 00
6 to 0 in 9 to 12 in	20 25	1 00 1 50	8 50 12 50	78 00 100 00
1½ to 2 ft	35 75	2 00 4 00	18 00 37 50	100 00 325 00
1 to 1½ ft., clumps 1	85 00 75	5 00 6 50 12 50	40 00 62 50 100 00	550 00
2 to 3 ft., clumps	00	25 00 60 00	200 00 550 00	
3 to 4 ft., "collected" clumps.17	50		850 00 1300 00	
*glauca. U to 12 in	35 30	2 00 1 75	17 50 15 00	
3 to 0 in., clumps	20 25	1 00 1 50	8 50 12 50	
1 to 1½ ft., clumps *var. prostratum. Mountain Heath.	35	2 00		
0 to 12 in., clumps	25 40 20	1 50 2 50 1 00	12 50 22 50 8 50	75.00
1 to 1½ ft	25 40	1 50 2 75	12 50 25 00	75 00 100 00
0 to 12 in., clumps	50 75	3 00 4 00	27 50 37 50	225 00 325 00
1 ½ to 2 ft., clumps 1 (2 to 3 ft., clumps 1		6 50 12 00	62 50 100 00	
*racemosa. 1 to 11/2 ft., clumps	20 50 75	1 00 3 00 4 50	8 50 27 50 37 50	
Lonicera dioica. 2 to 3 ft	20 15	1 00	8 50 6 00	50 00
Strongvar. flexuosa. Light	20 15	1 00	8 50 6 00	75 00 50 00
*sempervirens. 1 to 2 ft	20 30 20	1 00 1 75 1 00	8 50 15 00	75 00
2 to 3 ft fraseri. 1 to 2 ft	$\frac{25}{25}$	1 50 1 50	12 50	
0 to 8 ft 1 (4 00 6 00	37 50 50 00	
	10 50	2 50 3 00	20 00 27 50	
Menziesia pilosa. 1 to 2 ft., clumps 2 to 3 ft., clumps	35 60	2 00 3 50	17 50 30 00	
Mohrodendron. Sec Halesia. Myrica cerifera. 1 to 2 in., transplanted	10	60	5 00	\$40 00
1 to 1½ ft	25 35 50	1 50 2 00 3 00	12 50 17 50 27 50	
Nyssa multiflora. 6 to 12 in	20 10	1 00 2 50	8 50 22 50	
2 to 3 ft	30 IT£	3 50 X A S1	30 00 'AR (*)	

TREES, SHRUBS AND VIN	anh	conti	nued 100	1,000
Ostrya virginica. 1 to 2 ft\$0 2 to 3 ft	20 35	\$1 25 2 00	\$10 00 17 50	
3 to 4 ft	50	3 00	27 50	
eda. 6 to 12 in	20 25	1 00 1 50 2 25	8 50 12 50	100 00
3 to 4 it	35 60 85	2 25 3 50 5 00	20 00 30 00	
*Picea engelmanni. 3 to 6 in *mariana. 2 to 3 ft	15 30	75 1 75	6 00 15 00	
Pieris mariana. 6 to 12 in*Pinus divaricata. 2 to 3 ft	35 35	2 00 2 00		
3 to 4 ft	40	2 50 6 00	17 50 22 50 50 00	
*flexilis. 1 to 2 ft	35 60	2 00 3 50	50 00	
*lambertiana. 0 to 12 in	35 35	2 00 2 00		
*ponderosa. 1 to 2 ft *pungens. 4 to 6 ft	35 85	2 00 5 00	17 50 40 00	
*rigida. 2 to 3 ft		8 00 2 00	70 00 17 50	
3 to 4 ft	50 00	3 00 6 00	27 50 50 00	225 00 400 00
pumila. 1 to 2 ft	35 25	2 00	17 50 12 50	
*Pseudotsuga taxifolia. Douglas Spruce. 3 to 6 in	35 10	2 00	4.00	20.00
6 to 12 in	20	1 00	4 00 8 50	30 00 75 00
Crab. 1 to 2 ft	40 20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 8 50	
2 to 3 ft prinus. 1 to 2 ft	25 20	1 50 1 00	12 50 8 50	
rubra. 4 to 6 ft	85	5 00	40 00	
RHODODEND	R	ONS		
*Rhododendron oatawbiense. Eac 3 to 0 in., heavy, nursery-grown\$0	20	\$1 00	100 \$8 50	1,000 \$75 00
0 to 0 in., heavy, nursery-grown 0 to 12 in., heavy, nursery-grown 1 to 1½ ft., heavy, nursery-grown	25 35	1 50 2 00	12 50 18 00	100 00 160 00
0 to 18 in., clumps, nursery-grown 1 1½ to 2 ft., clumps, nursery-grown 2	50 50	3 50 10 00 16 00	32 50 90 00 135 00	750 00 1300 00
2 to 3 ft., elumps, nursery-grown 3 3 to 4 ft., elumps, nursery-grown 5	00	25 00 40 00	200 00 375 00	1750 00
4 to 5 tt olumna nurgoms annum 7	00 50	60 00 10 00	80 00	700 00
i to 2 ft., "collected" clumps. 1 2 to 3 ft., "collected" clumps. 2 3 to 4 ft., "collected" clumps. 3 4 to 5 ft., "collected" clumps. 5	00	15 00 25 00 40 00	130 00 220 00	1000 00
American Rosebay.	00	40 00	350 00	
3 to 0 in., nursery-grown 0 to 9 in., nursery-grown	15 20	75 1 00	0 00 8 00	50 00 60 00
i to 1½ ft., nursery-grown	20 35	1 25 2 00	10 00 18 00	00 00 160 00
0 to 18 in., clumps, nursery-grown 1	75 25 50	4 00 7 00 12 00	35 00 00 00	500 00
2 to 3 lt., clumps, nursery-grown 2	25 00	12 00 17 50 35 00	100 00 150 00	
2 to 3 ft "collected" clumps i	25 00	8 00 12 50	70 00 100 00	650 00 850 00
4 to 5 it., collected clumps 4	00	20 00 30 00	275 00 2	1400 00 2500 00
0 to 7 ft., "collocted" clumps 8 (*oarolinianum. 0 to 9 in., nursory-grown.		50 00 05 00 2 50	400 00 540 00 22 50	
0 to 12 in., nursery-grown	75 00	4 00 6 00	35 00 50 00	
1 to 12 in., clumps, nursery-grown. 1 to 1 1/2 ft., clumps, nursery-grown. 1		10 00 12 50	90 00 110 00	
2 to 3 ft., clumps, nursery-grown 5	00	25 00 40 00	200 00	
Send for "How to Grow Rhododendrons Successfully."	00	00 00		
Rhus aromation. 0 to 12 in	20	1 25	10 00	
copallina. Sumae. 1 to 2 ft	35 20 30	2 00 1 25 1 75	17 50 10 00	
	10	2 50	15 00	
Specimens\$1.50 to 5 (Rhus glabra. 6 to 12 in	00	1 00	8 50	
	5	1 50	12 50	
-				

TREES, SHRUBS AND VIN	_			1 000
Rhus typhina (hirta). 1 to 2 ft\$0	ach 20 25	\$1 25 1 50	\$10 00 \$10 50	1,000
4 to 6 ft	40 20	2 50	20 00 8 50	
1 to 2 ft	25 35	1 50 2 00	12 50 17 50	
1 to 2 ftviscosa. 4 to 6 ft	50 35	3 00 2 00		
Rosa arkansana. 1 to 2 ftblanda. 6 to 12 in	50 25 35	3 00 1 50 2 00	12 50 17 50	
carolina. 1 to 2 ft	15 20	80 1 25	7 00 10 00	\$60 00 90 00
humilis. 6 to 12 in	20 25	1 00 1 50	8 50 12 50	
Iucida. 6 to 12 in	20 25	1 00 1 50 2 00	8 50 12 50 17 50	
nitida. 6 to 12 in	35 20 30	1 25 1 75	10 00 15 00	
woodsil. 6 to 12 in	40 15	2 50 75	6 00	
deliciosus. 0 to 12 in	40 60	2 50 3 50		
laciniatus. 1 to 2 ft	40 15	2 50 75 1 00	0 00 S 00	
Sambucus canadensis. 1 to 2 ft 2 to 3 ft	20 20 25	1 00 1 00 1 50	8 50	
pubens. 6 to 12 in	20 25	1 00 1 50	8 50 12 50	
Spirma opulus. 2 to 4 ftsalicifolia. 2 to 3 ft clumps	20 35	1 25 2 00	10 00 17 50	
tomentosa alba. 1 to 2 ft	25 40	1 50 2 50	12 50 22 50	
2 to 3 ft	75 00	4 00 6 50	35 00 62 50	
4 to 0 ft		15 00	100 00	
O to 12 in	50 00 20	2 75 3 50 1 00	25 00	
Tilia heterophylia. 3 to 4 ft	50 20	3 00	8 50	
*Tsuga canadensis. Canadian Hemlock. 6 to 12 in	20	1 25	10 00	00 00
1 to 1½ ft	25 50	1 50 3 00	12 50 27 50	110 00 225 00
2 to 3 ft	00 50 00	6 00 10 00 17 50	50 00 00 00 150 00	450 00 800 00
5 to 6 ft		25 00 40 00	200 00	
2 to 3 ft	00	15 00		
3 to 4 ft		30 00 50 00 80 00		
6 to 7 ft		120 00 2 00		
hirsutum. 6 to 12 in* *marocarpon. American Cranberry.	00 15	3 50 75	0 00	50 00
pallidnm. 1 to 2 ft	35 50	2 00 3 00	17 50 27 50 37 50	
2 to 3 ft., clumps pennsylvanicum. 3 to 6 in stamineum. 1 to 1½ ft., clumps	75 30 60	4 00 1 75 3 50	15 00 32 50	
Viburnum acerifolium. 0 to 12 in	75 15	4 50 75	0 00	
alnifolium (2 ftalnifolium)	20 30 40	1 25 1 75 2 50	10 00	
2 to 3 ft	75	4 00		
cassinoides. 6 to 12 in	20 25	1 00 1 50	8 50 12 50	75 00 100 00
2 to 3 ft	30 75	1 75 4 00	15 00 37 50	
dentatum. 1 to 2 ft	00 20 25	6 00 1 25 1 50	50 00 10 00	
oxycoccus. 2 to 3 ft	25 25 25	1 50 1 50		
Wistaria chineusis alba. 0 to 12 in Xanthorrhiza apiifolia. Yellow Root.	35	2 00	17 50	20.00
3 to 6 in	10 15 20	50 75 1 00	4 00 5 00 7 00	30 00 40 00 60 00
6 to 12 in., clumps 1 to 1½ ft., clumps	20 20 40	1 25 2 50	10 00 22 50	90 00
Xolisma ligustrina. 1 to 2 ft	25 VITE	1 50	12 50	

Catalog of HIGHLANDS NURSERY

Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants

DUIDVUS FIAIIIS	Foob	10	100	1.000
Acorus calamus	Each \$0 20	\$1 00	\$8 00	1,000
Actæa alba	30	1 75	16 00	
Allium cernuumtricoccum	20 20	1 25 1 00	10 00	
Amsonia amsonia. Clumps	20	1 00	8 00	
Aquilegia canadensis	20	1 00	8 00	
chrysantha	20 15	1 25 75	10 00 6 00	
racemosa. Clumps	20	1 00	8 00	
Archangelica hirsuta Arisæma triphyllum	15 20	75 1 00	6 00 8 00	
Artemisia gracilis	40	2 50	8 00	
Aruncus (Spiræa) aruncus	20	1 00	8 00	
Asarum macranthum Asters, in variety: curtisll, macrophyl-	20	1 00		
lus, nmbellatus	20	1 00	6 00	
Astlibe decandra. Baptisia tinctoria	20 20	1 00	8 00	
Bicuculla (Dicentra) canadensis	20	1 00	7 00	
encullariaeximia	20 20	1 00 1 25	7 00	
Cacti, Hardy Species, Echinocactus	20	1 20	10 00	
simpsonii, Echinocereus viridi-				
florus, Opuntia arenaria, Opun- tia camanchica, Opuntia major,				
Opuntia mesacantha cymochila,				
Opuntia mesacantha greenii, Opuntia polyantha	Q5	5 00	25 00	
Echinocactus, Perpetual Snow	85 1 25	5 00 7 00	35 00	•
Calopogon. See Limodorum.	0=	1 50		
Caltha leptosepala. Marsh Marigold Campanula divaricata	25 20	1 50 1 00	8 00	
*Carex fraseri	20	1 25	10 00	
Cassia marylandica Cautophyllum thalictroides. "Col-	15	75	6 00	
lected"	20	1 00	8 00	
Chamselirium luteum	20	1 00	8 00	
Chelone glabraiyoni	20 20	1 00	8 00 8 00	
Chrosperma muscætoxicum	15	75	6 00	
Cionta maculata	20 20	1 00 1 00	8 00	
racemosa	1ŏ	75	6 00	
Ciematis coccinea	50	3 00	25 00	
		9 75		
remonti	40 85	2 75 5 00	20 00	
fremontivirginiana	85 20	5 00 1 00	6 00	
fremonti	85	5 00		
fremonti	85 20 30 15 20	5 00 1 00 1 75 75 1 00	6 00 16 00 6 00 8 00	
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis.	85 20 30 15 20	5 00 1 00 1 75 75 1 00 75	6 00 16 00 6 00 8 00 5 00	
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major.	85 20 30 15 20 15 15 15	5 00 1 00 1 75 75 1 00 75 75 75	6 00 16 00 6 00 8 00 5 00 6 00 6 00	
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps.	85 20 30 15 20 15 15 15	5 00 1 00 1 75 75 1 00 75 75 75 1 00	6 00 16 00 6 00 8 00 5 00 6 00 6 00 8 00	
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps. verticillata. Cypripedium acaule. Light.	85 20 30 15 20 15 15 15 20 20 15	5 00 1 00 1 75 75 1 00 75 75 75 1 00 1 00	6 00 16 00 6 00 8 00 5 00 6 00 6 00	\$40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiollata. Cypripedium acaule. Light. Strong.	85 20 30 15 20 15 15 20 20 15 20	5 00 1 00 1 75 75 1 00 75 75 1 00 1 00 75 1 25	6 00 16 00 8 00 8 00 5 00 6 00 6 00 8 00 8 00 5 00 10 00	70 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong.	85 20 30 15 20 15 15 15 20 20 15	5 00 1 00 1 75 75 1 00 75 75 75 1 00 1 00	6 00 16 00 6 00 8 00 5 00 6 00 6 00 8 00 8 00 8 00	
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's	85 20 30 15 20 15 15 15 20 20 15 20	5 00 1 00 1 75 75 1 00 75 75 75 1 00 1 00 1 25 1 25	6 00 16 00 6 00 8 00 5 00 6 00 8 00 8 00 5 00 10 00 5 00	70 00 40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns.	85 20 30 15 20 15 15 20 20 15 20 20 15 20	5 00 1 00 1 75 75 1 00 75 75 75 1 00 1 00 1 25 1 25 2 50	6 00 16 00 8 00 5 00 6 00 6 00 8 00 8 00 5 00 10 00 20 00	70 00 40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus Fly-trap.	85 20 30 15 20 15 15 20 20 15 20 15 20 15 20	5 00 1 00 1 75 75 1 00 75 75 1 00 1 00 1 25 1 25 2 50 6 00 1 00	6 00 16 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 20 00 50 00 8 00	70 00 40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa.	85 20 30 15 20 15 15 20 20 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 75 1 00 75 75 1 00 1 00 1 25 1 25 2 50 6 00 1 00	6 00 16 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 20 00 5 00 10 00	70 00 40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia oymosa	85 20 30 15 20 15 15 20 20 15 20 15 20 15 20	5 00 1 00 1 75 75 1 00 75 75 1 00 1 00 1 25 1 25 2 50 6 00 1 00	6 00 16 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 20 00 50 00 8 00	70 00 40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphillela cymosa *Epigæa repens. Trailing Arbutus. Established clumps.	85 20 30 15 20 15 15 15 20 20 15 20 20 20 20 20 20	5 00 1 00 1 75 75 1 00 75 75 75 1 00 1 00 1 25 1 25 2 50 6 00 1 00 1 00 1 25 1 25	6 00 16 00 8 00 5 00 6 00 8 00 8 00 5 00 10 00 20 00 50 00 8 00 7 00 9 00 10 00	70 00 40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertiollata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 1 00 1 00 1 25 1 25 2 50 1 00 1 25 1 25 2 50 1 50	6 00 16 00 8 00 5 00 6 00 8 00 5 00 10 00 5 00 10 00 20 00 8 00 7 00 9 00 10 00	70 00 40 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphillela oymosa *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 7 75 1 00 7 75 7 75 1 00 1 00 1 25 1 25 2 50 6 00 1 00 1 00 1 25 1 25 2 50 1 50 1 50	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 5 00 10 00 20 00 8 00 7 00 9 00 10 00	70 00 40 00 80 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoldes.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 1 00 1 00 1 25 1 25 2 50 1 00 1 25 1 25 2 50 1 50	6 00 16 00 8 00 5 00 6 00 8 00 5 00 10 00 5 00 10 00 20 00 8 00 7 00 9 00 10 00	70 00 40 00 80 00
fremonti. virginiana. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiollata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 7 75 1 00 1 00 1 25 1 25 2 50 1 00 1 25 1 25 1 50 1 50 1 50 1 25 1 25	6 00 16 00 8 00 5 00 6 00 8 00 5 00 10 00 5 00 10 00 20 00 5 00 10 00 20 00 10 00 12 00 12 00 12 00 12 00 10 00	70 00 40 00 80 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphillela oymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 7 75 1 00 1 25 1 25 2 50 1 00 1 00 1 25 1 25 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1 5	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 20 00 50 00 10 00 22 50 12 00 12 00 12 00 12 00 12 00 12 50	70 00 40 00 80 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 7 75 1 00 1 00 1 25 1 25 2 50 6 00 1 00 1 25 1 25 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1 5	6 00 16 00 8 00 5 00 6 00 8 00 5 00 10 00 5 00 10 00 20 00 5 00 10 00 20 00 10 00 12 00 12 00 12 00 12 00 10 00	70 00 40 00 80 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginm (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 7 75 1 00 1 75 1 25 1 25 2 50 1 00 1 00 1 25 1 25 2 50 1 50 1 25 1 25 2 50 1 50 1 25 1 25 2 50 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1	6 00 16 00 8 00 5 00 6 00 8 00 8 00 5 00 10 00 10 00 20 00 50 00 10 00 12 50 12 00 12 50 10 00 12 50 12 50 12 50 12 50 12 50 12 50	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioseorea villosa. Disporum lanuginosum. Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native	85 20 30 15 20 15 15 20 15 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 7 75 1 00 1 00 1 25 1 25 2 50 6 00 1 00 1 25 1 25 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1 5	6 00 16 00 8 00 5 00 6 00 8 00 8 00 5 00 10 00 20 00 50 00 7 00 9 00 10 00 12 00 12 00 12 00 12 00 12 00 10 00 11 00 12 50 10 00 10 00	70 00 40 00 80 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertioillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. C'Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 7 75 1 00 1 25 1 25 2 50 1 00 1 00 1 25 1 25 1 50 1 50 1 25 1 50 1 50 1 25 1 50 1 50 1 25 1 25 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1 5	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 8 00 10 00 5 00 10 00 20 00 50 00 10 00 22 50 10 00 12 00 12 00 12 00 12 00 12 50 8 00 12 50 13 8 00 14 00 15 00 10	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum Diphillela oymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferrs, Hardy Native Adiantum pēdatum. Asplenium filix-fæmina thelypteroides. *Botrychium virginianum	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 7 75 7 75 1 00 1 25 1 25 2 50 1 00 1 00 1 25 1 25 1 50 1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 5 00 10 00 20 00 50 00 10 00 10 00 12 50 12 00 12 00 12 00 12 00 12 50 12 00 12 50 13 00 14 00 15 00 10	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap Dioscorea villosa. Disporum lanuginosum Diphilleia oymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adiantum pēdatum Asplenium filix-fæmina thelypteroides. *Botryohium virginianum *Dryopteris acrostichoides.	85 20 30 15 20 15 15 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 1 75 7 75 1 00 1 75 1 25 1 25 1 25 1 50 1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	6 00 16 00 8 00 5 00 6 00 8 00 8 00 5 00 10 00 20 00 50 00 10 00 12 00 12 00 12 00 12 00 12 00 12 00 12 00 12 00 12 00 10 00 11 00 12 50 10 00 11 00 12 50 10 00 10 00 8 00 8	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeolata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsolpula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia oymosa *Epigæa repens. Trailing Arbutus. Established clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adiantum pēdatum. Asplenium filix-fæmina thelypteroides. *Botryohium virginianum. *Dryopteris acrostichoides goidieana.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 00 7 75 7 75 1 00 1 75 1 00 1 25 1 25 1 00 1 00 1 25 1 50 1 50 1 25 1 50 1 00 1 00 1 25 1 25 1 50 1 00 1 00 1 00 1 00 1 00 1 00 1 0	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 8 00 10 00 5 00 10 00 20 00 50 00 8 00 7 00 10 00 12 00 12 00 12 00 12 00 12 00 12 00 12 50 8 00 10 00 10 00 11 00 12 50 8 00 10 00 1	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap Dioscorea villosa. Disporum lanuginosum Diphilleia oymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adiantum pēdatum. Asplenium filix-fœmina thelypteroides. *Botryohium virginianum. *Dryopteris acrostichoides goidicana. *marginalis. *noveboracensis.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 1 75 7 75 1 00 1 75 7 75 1 00 1 25 1 25 2 50 1 1 00 1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 20 00 50 00 8 00 7 00 9 00 10 00 12 00 12 00 12 00 12 00 12 00 12 00 13 50 10 00 10 00 11 00 12 50 10 00 10 00 8	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap Dioscorea villosa. Disporum lanuginosum Diphillela oymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum Eupatorium ageratoides. perfoliatum purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adiantum pēdatum Asplenium filix-fæmina thelypteroides. *Botryohium virginianum *Dryopteris acrostichoides goidieana. *marginalis. *noveboracensis. *spinulosa.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 1 75 7 75 1 00 1 25 1 25 2 50 1 1 00 1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 20 00 50 00 8 00 7 00 10 00 12 00 12 00 12 00 12 00 10 00 11 00 12 50 10 00 10 00 8 00	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitaiba. *Ciintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanoeoiata. Clumps. major. rosea. Clumps. vertiolilata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectablie). Showy Lady's Slipper. 1 to 2 crowns. 3 to 5 crowns. Dionæa mnsoipula. Venus' Fly-trap Dioscorea villosa. Disporum lanuginosum Diphilleia oymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adiantum pēdatum. Asplenium filix-fœmina thelypteroides. *Botryohium virginianum. *Dryopteris acrostichoides goidicana. *marginalis. *noveboracensis.	85 20 30 15 20 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	5 00 1 00 1 75 1 75 1 00 1 75 7 75 1 00 1 25 1 25 2 50 1 1 00 1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	6 00 16 00 8 00 8 00 5 00 6 00 8 00 8 00 8 00 5 00 10 00 20 00 50 00 8 00 7 00 9 00 10 00 12 00 12 00 12 00 12 00 12 00 12 00 13 50 10 00 10 00 11 00 12 50 10 00 10 00 8	70 00 40 00 80 00 100 00 16 00 \$60_00

HARDY HERBACEOUS P	ERENNI	ALS, co	ntinue	1
Ferns, continued Onoclea sensibilis	Each	10	100	1,000
Osmunda cinnamomea, c	lav-		\$\$ 00	
toniana and regalis	20	1 00	S 00	\$100 00
*Polypodium vulgare	15		6 00 5 00	35 00 30 00
*Galax aphylla. Established clumps.	25	1 50	12 00	90 00
"Collected" clumps Gauitheria procumbens. Clumps.	20	1 00	8 00 10 00	50 00
Gilienia. See Porteranthus.	Col-	2 00	10 00	
leeted"	15		5 00	40 00
Gentiana andrewsii. Light	20	1 00	5 00 6 00	35 00 50 00
Geranium maculatum		. •	6 00	
Habenaria ciliarishookeriana	20		8 00 8 00	
peramœna Helcnium autumnale	30		15 00 8 00	
Helianthus strumosus* *Helonias bullata	20	1 00	8 00 8 00	
Hepatica acutiloba	20	1 00	8 00	
Heuchera americana and viliosa Hibiscus, "Crimson-eye" and r	ose-		8 00	
pink	lia. 15		8 00 6 00	40 00
Humulus lupulus	20	1 00	8 00 8 00	10 00
*Iris cristata	\dots 25	1 50	10 00	80 00
missouriensispseudacorus	20	1 00	12 00 8 00	
*verna. Clumpsversicolor	$\begin{array}{ccc} \dots & 25 \\ \dots & 20 \end{array}$		10 00 8 00	
Lacinaria (Liatris) pycnostachya. spicata	\dots 20	1 00	8 00	
spicata pumila			0 00	
Lilies				
Lilium canadense. Wild Yo	ellow Each	10	100	1,000
Lily. 2nd size 1st size	\$0 10		\$5 00 7 00	
1st size	ly.		7 00	
1 st. size	20	1 25	i0 00	950.00
grayi. 2nd size 1st size superbum. Turk's-Cap Lily			0 00 10 00	\$50 00 80 00
3rd size	10	40	2 00	18 00
2nd size 1st. size			5 00 8 00	30 00 60 00
Limodorum (Calopogon) tuberos	um.			
Light Strong	$\dots 20$		8 00 12 00	
Lobelia cardinalis and syphilitica. Medeola virginiana	20	1 00	8 00 8 00	
Melanthium virginicum	20	1 00	8 00	
Menispermum canadense. Moons Mimulus ringens	\dots 20	1 00	6 00 8 00	
Mitchella repens. Clumps Monarda didyma			10 00 10 00	
Orchis spectabilisOrontium aquaticum			16 00	
Panax (Aralia) quinquefolium. 3rd size			6 00	50 00
2nd size	20	1 25	10 00	90 00
1st size	40	$\begin{array}{c} 1 & 75 \\ 2 & 50 \end{array}$	$\frac{15}{22} \frac{00}{00}$	125 00
*Peramium (Goodyera) pubescens	30			
Phiox pilosa*subulata alba		1 00 1 50		
Physostegia virginiana	\dots 15	75 75	6 00	
Polygonatum bilflorum	15	75	0 00 8 00	
Polygonum cilinode	15	75	5 00	
Porteranthus (Gilienia) stipulaces *Potentilla tridentata	20	1 00	8 00 8 00	
Rhexia virginica		1 00	8 (10)	60 00
Strong	15	75	6 00	36 00
signee's risk. *Sarracenia catesbæi and flava		1 75	15 00	
Saxifraga micranthidifolia	25	1 50 1 50	12 00	
michauxii	20	1 00	8 00	
*Shortia galacifolia. 2nd size 1st size		2 00 4 00	18 00 35 00	
EVERGREENS ARE MARI	KED WIT	TH A S	TAR (*)	

Catalog of HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIALS, continued				
	ach	10	100	1,000
Silene stellata\$	0 20	\$1 00	\$8 00	
virginica	20	1 25	10 00	
Sisvrinchium angustifolium	20	1 00	8 00	
Solidago canadensis, boottii, erecta,				
glomerata, odora, pallida, pat-				
ula, rugosa and rupestris	20	1 00	8 00	\$65 00
Spigelia marilandica	50	3 00	20 00	
Stachys aspera	15	75	6 00	
Steironema ciliatum, quadrifolium	1.5	7=	0.00	
and terrestris	15	75	6 00	
Stenanthium robustum. Mountsin	20	1 00	8 00	CO 00
Feather Fleece. 3rd size	25	1 50	8 00 12 50	60 00 100 00
2nd size	50	3 00	26 00	100 00
1st size	20	1 00	8 00	
Stokesia cyanea	15	80	6 00	
Thermopsis caroliniana. Strong	20	1 00	8 00	
Light	10	60	5 00	
Therofon aconitifolia	15	75	6 00	
Tradescantia montana	20	1 00	8 00	
Trantvetteria carolinensis	20	1 25	• • • •	
Trillium erectum. 2nd size	10	40	3 00	18 00
1st size	15	75	5 00	30 00
var. album. Strong	20	1 00	8 00	
grandiflorum. 2nd size	10	30	1 50	12 00
1st size	10	60	3 50	20 00
recurvatnm	15	75	6 00	50 00
stylosum. 2nd size	10	60	4 00	30 00
1st size	15	75	6 00	50 00
undulatum. 2nd size	10	60	4 00	30 00
1st size	15	75	6 00	40 00
Triosteum perioliatum	20	1 00	0.00	
Uvularia perfoliata and sessilifolia	20	1 00	8 00	
Vagneria racemosa	20 20	1 00	8 00 8 00	
Veratrum viride	20	1 00	8 00	
Viola canadensis	20	1 00	0 00	
cnoullata	20	1 00	8 00	
hastata	20	1 00	8 00	
pedata	20	1 00	8 00	
pedata bicolor	30	1 75	14 00	
rotnndifolia	20	1 00	8 00	
sagittata	20	1 00		
*Xerophylium asphodeloides	35	2 00	15 00	
*Yucoa concava	25	1 50	10 00	
*filamentosa	35	2 00		
*flaooida	20	1 00	8 00	60 00
*gianca	25	I 50	12 50	

TERMS

Terms eash, or satisfactory references from unknown parties. Accounts due the first of each month, unless by special arrangement. 5 at 10 rates; 50 at 100 rates; 500 at 1,000 rates.

An extra charge is always made for special selection.

Packing free at prices in these catalogs.

Send foreign remittances by Postal Money Order, drawn on Salem, Mass., post office; or by New York or Boston Exchange. An American dollar equals four shillings, four marks, or five frances.

GUARANTEE

No guarantee, expressed or implied, is made that stock

will grow, whether planted by me or not.

Having no control over after treatment of plantings, or over weather conditions, it is obvious that purchaser must assume all responsibility after delivery in good condition.

All shipments travel at consignee's risk, and transportation

companies must be held liable for damage in transit.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will gladly be rectified.

HARLAN P. KELSEY, Owner Salem, Mass. U. S. A.

EVERGREENS ARE MARKED WITH A STAR (*

CATALOG OF

BOXFORD NURSERY



KELSEY'S

Hardy American Plants, Rhododendrons and Fine Evergreens

THIS IS A PRICED CATALOG of my Boxford Nursery, located at Boxford, Massachusetts (East Boxford P.O.), on the Georgetown branch of the B. & M. R. R. Here may be seen growing the choicest eollection of Specimen Nursery Stock, selected for the most discriminating buyers. Special attention is given to Hardy Native Material, which must always be the basis of successful permanent plantings.

SPECIMEN STOCK. There is a growing demand for fine specimen stock in Conifers, Rhododendrons, Kalmias, Andromedas and other evergreens, and my Boxford Nursery is established to supply just this need.

PRICES are made to fit the quality of stock sent out. Few realize that the real value of Nursery Stock is largely underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, means success and quick results. It costs more, but it is the fixed policy of my Boxford Nursery; and "cheap" stock will not be handled or sent out. The best is always the cheapest.

PACKING CHARGES FREE at prices in this entalog for shipment by freight or express. Team and auto delivery to North Shore or Boston Points at net cost.

VISITORS ARE ALWAYS WELCOME at both Nurseries, or at my Salem office. Many customers take the trip to my Highlands Nursery in the Carolina Mountains during the blooming season of Rhododendrons and Azaleas. No such show can be seen elsewhere, and it is an outing worth while. I am glad to give details. Boxford Nursery is easily reached by train or automobile.

HARLAN P. KELSEY, Owner
Office, 287 Essex St.
Telephone Connection.
SALEM, MASS.

Catalog of BOXFORD NURSERY



Rhododendron carolinianum, Proctor's Rock Garden, Topsfield

Rhododendron carolinianum

A new species. Clear pink

The smallest Alleghanian species, though it often attains a height of 15 feet and is wide-spreading. A very graceful shrub, with totally different aspect from the two species preceding. Leavos dark green, usually bluat and narrow, covered with rusty dots below, much smaller than either maximum or catawbiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standing exposure unusually well, and invaluable as a single specimen or for massing with the other species.

Hutil this year we have been specing this heartiful and area.

Until this year we have been seading this beautiful and rare species out under the name of punctatum. Prof. Sargent has recently called attention to the fact that it is a distinct species from the punctatum differing in time of bloom, with more showy and profuse flowers, and

making a much larger and finer plant than the punctatum.

It is now known as Rhododendron carolinianum, being described and named by Alfred Rehder, Arnold Arboretum, Jamaica Plain, Mass.

and named by Alfred Rehder, Arnold Arboretum, Jamaica Plain, Mass.

The above illustration is from a photograph by Mr. Kelsey, May 21, 1913, at nu estate in Topsfield, Mass.

Sizes and prices at Boxford Nursery, Boxford, Mass.

0.0 %	Each	10	100
6-9 in	.80 50	\$4.00	\$30.00
Water Illandana and a service	- 75	0.00	50 00
y-12 in. ciumps	1.50	19 50	100 00
1-114 ft. clumps.	2 00	17 50	150 00
134-2 ft. elumps.	. 2 50	17 50	190 00
9-3 ft ohuma	. 3 50	32 50	
2-3 ft. clumps	. 6 00	50 00	
3-1 ft. elumps	$.10 \ 00$		

HARLAN P. KELSEY, Owner, Salem, Mass.

HIGHLANDS NURSERY 3,800 it. cicvation in Carolina Mts.

BOXFORD NURSERY Boxford, Mass.

CATALOG OF BOXFORD NURSERY

Note: All plants are transplanted and nursery-grown, unless plainly marked otherwise.

This a catalog of Nursery-grown plants growing at my Boxford Nursery, Boxford, Mass.

Evergreen Trees and Shrubs

	70	-1	10	100
Ables arizonica. 2 ft	\$2	50	10	100
Ables arizonica. 2 ft concolor. White Fir. 1 to 1½ ft	• • • • • •	50	\$4 00	\$30 00
2 to 3 ft	$egin{smallmatrix} \cdot \cdot \cdot & 1 \ \cdot \cdot \cdot & 2 \end{smallmatrix}$	50 50	12 50 20 00	
4 to 5 ft	6	00		
6 to 10 ft., extra specimens\$20 douglash. See Pseudotsuga.		00		
fraserl. Fraser's Fir. 6 to 12 in		20	1 25	10 00
1 to 134 ft	• • •	30 60	$\frac{2}{4} \frac{00}{00}$	12 50 37 50
2 to 3 it	1	50	10 00	90 00
3 to 4 ft	2	50	20 00	
6 to 8 ft., \$6 to \$8 each; larger sizes, \$10	րել) to			
\$15 each.		00	05.00	
nordmanniana. Nordmann's Fir. 2 to 3 ft veltchii. 3 to 4 ft	3 1		25 00 35 00	
veltchii. 3 to 4 ft	ter			
Bush. 6 to 12 in., strong, bushy plants, budded		75	6 00	50 00
6 to 12 in., heavy clumps	1	50	12 50	100 00
12 to 18 in. clumps, heavily budded		00	17 50	150 00
12 to 15 in. Arctostaphylos uva-ursi. 234 in. pots	1		10 00	
Arctostaphylos uva-ursi. 234-in. pots Biota aurea conspicua. 6 to 12 in	••	75 50	6 00 4 00	
1 to 5 ft	3	50		
var. nana. 6 to 12 invar. pyramldalis. 6 to 12 in	• •	50 75	1 00 6 00	
Buxus arborescens. Tree Box.	• •	10	0 00	
8 to 12 in., 3 years transplanted		10	50	4 00
4 years transplanted pyramidalis. Pyramidal Box.		15	. 75	6 00
2 to 3 ft		00	17 50	
3 to 4 ft	4	00	37 50	
Bush Form.	_			
1 to 1½ ft	$\begin{array}{c} \cdot \cdot \cdot & 1 \\ \cdot \cdot \cdot & 2 \end{array}$	50 00	12 50 17 50	100 00
Standard and Half-standard.			11 00	
1 1/4 to 4 ft\$2 suffruticosa. Dwarf Box.	to 1	00		
3 years transplanted		15	75	6 00
Cedrus atlantlea glauca. Mt. Atlas Silver Cedar. 1½ to 2 ft	1	50	12 50	
Chammeyparls lawsoniana, var. aluml.			12 00	
2½ to 3 ftvar. fraseri. 2½ to 3 ft	$\begin{array}{ccc} \cdot \cdot & 1 \\ \cdot \cdot & 1 \end{array}$	75 75	15 00 15 00	
var. veitchii. 2 to 234 ft. Cupressus royalii. 134 ft.	i		15 00	
Cupressus royalii. 1½ ftsempervirens pyramidalis. 15 to 18 in	1		$\frac{12}{12} \frac{50}{50}$	
Dendrium prostratum. Mountain Heath.		50	12 50	
6 to 12 in	• •	50	4 00	35 00
2 to 3 ft		25	1 75	15 00
2 to 3 ft. Hex crenata. Japanese Holly. 6 to 8 in	,	75	5 00	
opaca. American Holly. 1 to 1½ ft	1	25 60	10 00 5 00	
1½ to 2 ft		80	7 00	
2 to 3 ftvomltoria. Cassena Holly.	1	50	12 50	
15 to 18 in., pot-grown	1	00	8 50	
Juniperus chlnensis procumbens. 6 to 12 in., transplanted		50	4 00	30 00
chinensis, var. argentea. 18 to 24 in		50	4 00	00 00
communis. Common Prostrate Juniper 6 to 12 in		50	4 00	30 00
1 to 136 ft	1	25	10 00	90 00
134 to 2 ft	1 to 15	75.	15 00	
Specimens, \$2.50 var. aurea. Golden Juniper. 12 to 18 in	1	00	8 50	
globosa. 12 in	1	75		
12 to 18 in		75		
var. aurea. Golden Japanese Juniper.		50		
- 3 to 4 ft		50		
4 to 5 ft. sablns. Savin Juniper. 8 to 10 in		60	5 00	40 00
1 to 1½ ft., transplanted with balls 1½ to 2 ft., transplanted with balls		90 25	7 50 9 00	65 00 80 00
scopnforum. Rocky Mountain Juniper				
12 to 18 in	••	75	6 00	
3				

EVERGREEN TREES AND SHRUBS	. cor	tinued	
Juniperus tamariscifolia. Gray Carpet Juniper. 8 to 10 in., transplanted	Each \$0 50	10 \$4.00	100 \$30 00
virginiana. Red Cedar. 1 to 2 ft	. 75	6 00	50 00
2 to 3 ft	3 00	12 50 27 50	225 00
Specimens,	50 00 1 25	45 00 10 00	
2 to 2½ ft	2 00	18 00 12 50	
var. schottil. 1½ to 2 ft Kalmia angustifolia. Narrow-leaved Laurel.	1 50	12 50	
1 to 2 ft., clumps	75 65	6 00 5 00	40 00
9 to 12 in	40 60	3 50	30 00
1 ½ to 2 ft	80 1 25	5 00 7 00 10 00	40 00 60 00 90 00
1 ½ to 2 ft., clumps	2 00	17 50 32 50	150 00
Leucothoe catesbæi. Catesby's Leucothoe. 6 to 12 in. 1 to 1½ ft.	60	5 00	40 00
Pachysandra terminalis. 4 to 8 in., pots.	1 00 1 75 25	8 50 15 00 1 75	75 00 125 00
3 to 3½ ft	1 50	12 50 17 50	15 00 100 00 150 00
3½ to 4 it	3 00	25 00 35 00	
5 to 6 ft	6 00	50 00	
3 10 4 11	1 50 2 00 3 00	12 50 17 50 27 50	
4 to 5 ft	2 50 3 50	22 50 32 50	
1 to 1½ ft	2 50	22 50	200 00
1½ to 2 ft	4 50	32 50 40 00	300 00
3 to 4 ft. sitchensis. Sitka Spruce. 2½ to 3 ft Pinus aristata. 12 to 15 in.	6 00 2 00 50	50 00	
oembra. Swiss Stone Pine. 1 to 1 1/4 ft.	1 50	4 00 12 50	30 00
densifiora. Japanese Red Pine.		60 00	
1 to 1½ ft	1 00	8 50	10.00
2 to 3 ft	65 80 1 00	5 00 7 00 8 50	40 00 60 00
flexills. Limber Pine. 1 to 146 ft.	2 50 1 00	22 50 8 50	
montana. Swiss Mountain Pine 2 ft., specimens nughus. Dwarf Pine.	2 00	17 50	
1 to 2 ft. with balls	1 50	12 50	100 00
6 to 12 in 2 to 3 ft	60 1 50	$\begin{array}{ccc} 5 & 00 \\ 12 & 50 \end{array}$	40 00 100 00
parviflora. Japanese Short-leaved Pine. 234 to 3 ft. ponderosa. Bull Pine. 1 to 2 ft.	3 00		00
pungens. Table Mountain Pine. 2 to 3 ft 3 to 4 ft	50 60 1 00	4 00 5 00	77 00
6 to 8 ft	2 00	8 50 18 00 25 00	75 00
rigida. Pitch Pine. 2 to 3 ft.	40 50	3 00 4 00	20 00 35 00
3 to 4 ft 4 to 5 ft strobus. White Pine. 6 to 12 in	2 00	8 50 18 00	
2 to 3 ft	20 35 60	1 50 3 00 5 00	10 00 25 00
sylvestris. Scotch Pine, 6 to 12 in.	2 00 20	18 00 1 50	45 00 10 00
1 to 1 ½ it	35 1 00	3 00 8 50	25 00
waterlana. 9 to 12 in	1 25 1 50	10 00 12 50	90 00
6 to 12 in.	75 50	6 00 4 00	30.00
2 to 3 ft	1 00 2 00	8 50 17 50	30 00 75 00 150 00
Var. glauca elegans. 12 to 18 in	3 00 2 00	25 00 18 00	225 00
Retinospora obtusa gracilis. Japanese Cypress. 18 to 24 in	75 1 25	6 00	
var. pygmea. S to 10 in	1 25 1 75 1 25	10 00 15 00 10 00	
		10 00	

Catalog of BOXFORD NURSERY

RHODODENDRON	S		
Rhododendron arbutifolium (wilsonii)	Each	10	100
S to 10 in., bushy	\$1.00	\$8 50	-00
2 ½ to 3 ½ ft., with buds		30 00	
carolinianum. 6 to 9 in	50 75	4 00	\$ 30 00
9 to 12 in., clumps	1 50	6 00 12 50	50 00 100 00
1 to 1 ½ it., clumps	2 00	17 50	150 00
$1\frac{1}{2}$ to 2 it., clumps	3 50	32 50	100 00
2 to 3 ft., clumps	6 00	50 00	
3 to 4 ft., clumps		0.50	** **
catawblense. 6 to 9 in	30 1 75	2 50 17 00	22 50 125 00
$1\frac{1}{2}$ to 2 ft., clumps	2 50	22 50	200 00
2 to 3 ft., clumps	3 50	32 50	200 00
3 to 4 ft., clumps	6 00	50 00	
4 to 5 ft., clumps	8 00		
3 to 6 ft., extra specimens, \$8 to 3	lo din	- 41-a fa	11 !
President Lincoln, album elegans, carac	tacu	g the ro	chleng;
catawblense hybrids. Hardiest varieties, inc President Lincoln, album elegans, caracalba, everestianum, General Grant, Mrs. according to size and selection, \$1 to \$4 each.	Mil	ner and	others.
according to size and selection, \$1 to \$4 each.	Each	10	100
Terrugineum, amine nose, a to to m		\$2.20	
var. album. White Alpine Rose. 8 to 10 in	1 00	8 50	
hlrsutum. S to 10 in	1 00	8 50	
9 to 12 in	25	2 00	\$17 50
1 to 1½ ft	40		25 00
135 to $\bar{2}$ ft.	75	ö 00	50 00
1 to 1½ ft., clumps. 1½ to 2 ft., clumps.	1 00	9 00	80 00
2 to 3 ft., clumps	1 75 2 50	$\begin{array}{cccc} 15 & 00 \\ 22 & 50 \end{array}$	125 00
3 to 4 ft., clumps	2 50 4 00	22 50 37 50	
4 to 6 ft., specimens\$5 to 1		01 00	
var. rosen. Pink form of Rhododendron maxi-			
mum. 1½ to 2 ft	5 00		
myrtifolium	1 25	10 00	
Taxus canadensis. Canadian Yew.	50	1.00	20.00
6 to 8 incuspidata brevifolia. Japanese Yew.	50	4 00	30 00
6 to 8 in	75	6 00	
24 to 30 in	2 50	22 50	
24 to 30 in Thuya, George Peabody. 1 to 1½ ft occidentalis. American Arborvitæ. 1½ to 2 ft.	75	6 00	
occidentalis. American Arborvitæ. 1½ to 2 ft.	50	4 00	35 00
2 to 3 ftvar. hoveyl. 15 to 18 in	75 60	6 00 5 00	50 00
var. pyramidalis. Pyramidal Arborvitæ.	00	3 00	
11/2 to 2 ft	1 00	8 50	
var. slblrlea. Siberian Arborvitæ. 1 ft	50	4 00	30 00
1½ ft	65	5 00	
var. wareana. 1½ to 2 ft	1 00	8 50	
2 to 2½ ft	1 50	12 50	
I to 1½ ft	30	2 00	17 50
136 to 2 ft	50	1 00	30 00
2 to 3 ft	1 25	10 00	90 00
3 to 4 ft	1 75	15 00	125 00
4 to 5 ft	3 00 4 00	25 00 35 00	
	4 00	35 00	
4 to 5 ft	6 00	50 00	
5 to 6 ft	0 00	00 00	
6 to 7 ft	5 00	140 00	
vaccinium macrocarpon. American Cranberry.	20	0.00	15.00
"Collected" clumps	30	2 00	15 00

Deciduous Trees and Shrubs

					_
Acer dasycarpum. Silver Maple.			1		100
8 to 10 ft	.\$1	00	\$7	00	
var. wleri. Cut-leaved Weeping Maple.					
7 to 9 ft	. 1	00	7	00	
ginnala. 4 to 5 ft	. 1	00	6	00	
platanoides. Norway Maple. 4 to 5 ft		50	3	50	\$30 00
8 to 10 ft	. 1	25	10	00	90 00
10 to 12 ft		75	15	00	
saecharum. Sugar Maple. 1 to 2 ft		20	1	00	8 50
2 to 4 ft		30	ī	75	15 00
6 to 8 ft		75	6	00	
8 to 10 ft		25		00	
spleatum. Mountain Maple. 1 to 2 ft		30		75	15 00
Amelanchier botryapium. Shad Bush.	•	-	•		.0 00
4 to 6 ft		50	4	00	
Aralia pentaphylla. 2 to 3 ft		50		00	30 00
3 to 4 ft	•	75		00	50 00
Aronia arbntlfolia. 12 to 18 in	•	60		00	40 00
18 to 24 in		75		00	50 00
		00		50	00 W
3 to 4 ft		75		00	
erythrocarpa. Dwarf variety, I to 2 ft					
Tall variety. 1 to 2 ft		75 75		00	
melanocarpa. 12 to 15 in		75		00	
nigra. Black Chokeberry. 1 to 2 ft	•	40	8	75	35 00

DECIDUOUS TREES AND SHRUBS	_			
Azalea arborescens. Fragrant White Azalea. 6 to 12 in	Ea \$0		\$3 50	100 \$25 00
12 to 18 in	т т	60 50	5 00 12 50	45 00
18 to 24 in., clumps	. 2	50	22 50	100 00 200 00
2 to 3 ft., clumps			35 00 50 00	
calendulacea (lutea). Flame Azalea.				15 -0
6 to 12 in		25 50	$\frac{2}{4} \frac{00}{00}$	17 50 35 00
1 to 1½ ft., clumps	1	80 50	7 00 10 00	60 00
2 to 3 ft., clumps	. 2	50	20 00	
3 to 4 ft., clumpscanescens. 12 to 18 in	4	00 60	35 00 5 00	
gandavensis. Ghent Azalea. Budded plants, balled		50	12 50	
kmmpfori. 1 to $1\frac{1}{2}$ ft	. 1	00	9 00	
ledifolia. 1 to 1½ ft	. 1	50 00	12 50 8. 50	
nuditiora. Pinxter Flower. 6 to 12 in		30	2 50	20 00
1 to 1½ ftvaseyi. Southern Azalca. 6 to 12 in		60 60	5 00 5 00	40 00 40 00
1 to 1½ ft. 1½ to 2 ft	. 1	00 50	7 00 12 50	60 00 100 00
1 ½ to 2 ft., clumps:	. 2	00	18 00	•
viscosa. Early White Azalea. I to 1½ ft 1 to 1½ ft., clumps	1	50 00	4 00 8 50	30 00 75 00
"Collected" clumps with heavy balls and many stems, 3 to 6 ft		00	_ 30	
Berboris canadensis. American Barberry		50	4 00	
sloboldi. 3 to 4 ft thunborgii. Japanese Barberry. 6 to 12 in	. 1	00 20	8 50 1 75	15 00
1 to $1\frac{1}{2}$ ft		35	3 00	27 50
vulgaris. Common Barberry. 18 to 30 in		50 30	4 50 2 50	40 00 22 50
Botula alba. European White Birch. 2 to 3 ft populifolia. American White Birch. 1 to 2 ft		50 30	4 00	35 00
Carpinus caroliniana. Water Beech. 3 to 4 ft		40	2 00 3 50	30 00
1 to 6 ft	1	60 00	5 00 8 50	40 00 75 00
Castanea pumila. Chinkapin. 1 to 2 ft		35	3 00	25 00
2 to 3 ft		50 25	4 50 2 00	17 50
Cercidiphylium japonicum. Kadsura Tree.	. 1	00	8 50	
3½ to 4 ft. Chlonanthus virginica. White Fringe. 1 to 2 ft.	. ^	30	2 50	22 50
2 to 3 ft		50	4 00	
alnifolia. Sweet Pepper Bush. 9 to 18 in	1	$\frac{00}{25}$	8 50 1 50	12 50
1 to 2 ft		35	3 00	25 00
var. rubra. Red-flowering Dogwood. 2 to 3 ft	1	50 75	4 00 15 00	
mns. Corneliau Cherry. 2 to 3 ftslblrion. Siberian Red Osier, 2 to 3 ft		50 35	4 00 3 00	30 00 25 00
stolonifora. Red Osier Cornel. 2 to 3 ft		35	3 00	25 00
3 to 4 ft		50 65	4 00 5 00	
Corvius americana, liuzelunt 1 to 2 ft "col-	•	20	1 50	10 00
leeted"rostratn. Beaked Hazelaut. 1 to 2 ft		25	1 75	15 00
crus-galli. Cockspur Thorn. 1 to 2 ft		$\frac{25}{30}$	$\begin{array}{c} 1 & 75 \\ 2 & 50 \end{array}$	22 50
oxyacnutlin. English Thorn. 1 to 2 ft		40	3 50	
var. Double white, I to 2 it.		75 75	6 00	
var. Pnul's Senrlot. 1½ to 2 ft. var. Plnk. 2 to 3 ft.	1	75 00	6 00 8 50	
punction Large-fruited Thorn. 3 to 4 ft		60	5 00	40 00
Cytisus laburnum. 6 to 8 ft		$\frac{25}{50}$	10 00	
Desmodium pendulifiorum. Bush Clover Deutzia creuntn. 2 to 3 ft		$\frac{25}{40}$	1 50 3 50	
16momer. 2 to 3 H		50	4 00	
Diorvilla sessilifolia. Bush Honeysuckle. 1 to 2 ft. 2 to 3 ft		40 60	3 50 5 00	
2 to 3 ft Direa palustris. 6 to 12 in Diospyros virginiana. 1 to 2 ft		35 40	3 00	25 00
Diospyros virginiana. 1 to 2 ft. Euonymus alntus. Winged Burning Bush. 234			3 50	
americanus. Strawberry Bush. 2 to 3 ft	1	$\frac{25}{40}$	10 00 3 50	
bungeanus. 6 to 10 in. europæa latifolin. 2½ to 3 ft		50	4 00	30 00
Obovatus. Dwarf species. Strong		25 25	10 00	15 00
Forsythia fortunel. Golden Bell. 18 in.		00 30	8 50 2 50	75 00 18 00
2 to 3 it		40	3 50	25 00
intermedia. Hybrid Golden Bell. 3 to 4 ft		60 6 <mark>0</mark>	5 00 5 00	40 00 40 00
susponsa. Drooping Golden Bell. 2 to 3 ft		60 40	5 00 3 50	25 00
r orsythia viridissima. Dark Green Forsythia.				
2 to 3 ft		40 60	3 50 5 00	25 00 40-00

DECIDUOUS TREES AND SHRUBS, continued Each 10	100
Frazinus americana. 3 to 4 it	
6 to 8 ft	
lanceolata. 4 to 6 ft	-4-
Genista tinetoria. Woodwaren. 1 to 1½ ft 35 3 00 Gaylussacia resinosa. "Col." plants, 9 to 18 in 15 1 00	\$20 00 \$ 50
"Collected" clumps, 1 to 2 ft 60 5 00	40 00
Gleditschia triacanthos. Honcy Locust. 5 to 7 ft. 2 00 17 50 Halesla diptera. Snowdrop Tree. 1 to 1½ ft 50 4 00	
tetraptera. Silver Bell. 4 to 5 ft	20 00
Hydrangea arborescens. Wild Hydrangea.	
1 to 2 ft	22 50
2 to 3 ft	40 00
var. grandifiora. Large-flowcred Hydrangea.	40 00
3 to 4 ft	
Mex monticola. Deciduous Holly. 1 to 2 ft 25 1 75 verticillata. Black Alder. 1 to 1½ ft 40 3 50	15 00
2 to 3 ft	
5 to 6 ft., clumps 3 50	
6 to 7 ft., clumps	
Kerrla japonica. 1½ to 2 ft	27 50 15 00
Larlx americana. Larch. 6 to 8 ft 1 00 8 50	20 00
8 to 10 ft	
6 to 12 in	$\frac{15}{25} \frac{00}{00}$
Ligustrum Ibota. Ihota Privet. 6 to 12 in 25 1 75	15 00 10 00
regellanum. Regel's Privet. 6 to 12 in 20 1 50	10 00
Lonleera morrowii. Japanese Bush Honeysuckle.	25 00
2 to 3 ft	30 00
tatarlea. Tartarian Honeysuckle. 6 to 12 in 25 2 00	15 00 30 00
3 to 4 ft	30 00
Magnolla fraserl. 1 to 6 ft	
tripetala. 4 to 6 ft	
floribunda. Flowering Crab. 4 to 5 ft 40 3 50	
var. parkmanil. 2 to 3 ft	
scheideckeri. 5 to 6 ft	
Menziesia pilosa. 1 to 2 ft	25 00
"Collected" clumps, 9 to 18 in 60 5 00	40 00 8 50
Nyssa multiflora. Black Gum. 1 to 2 ft 50 4 00	35 00
Ostrya virginica. Ironwood. 3 to 4 ft	
Oxydendrum arboreum. Tree Andromeda.	35 00
2 to 3 ft	50 00
4 to 5 ft	00 00
Populus fastiglata. Lomhardy Poplar. 6 to 8 ft., 75 6 00 Prunus maritima. Beach Plum. 6 to 12 in 30 2 50	$\begin{array}{cccc} 50 & 00 \\ 22 & 50 \end{array}$
pumila. Sand Cherry. 1 to 2 ft. 40 3 50 tomentosa. 1½ to 2 ft. 40 3 50	30 00 30 00
triloba. 1½ to 2 ft	
macrocarpa. Mossy-Cup Oak. 3 to 4 it 1 00 8 50	
4 to 6 ft	
palustris. Pin Oak. 6 to 8 ft 1 00 8 50 8 to 10 ft 1 75 15 00	75 00
prinus. Chestnut Oak. 3 to 4 ft 50 4 00	
rubra. Red Oak. 3 to 4 ft	
4 to 6 ft	
Rhamnus dahurica. S to 12 in., transplanted 35 3 00 Rhodotypus kerrioides. White Kerris. 1 to 2 ft 35 3 00	
Rhus aromatica. Sweet-scented Sumac 25 1 75	15 00 15 00
copallina. Upland Sumae. 1 to 2 ft	25 00
cotinoides. Chittam-wood, 6 to 8 ft\$3 to 6 00 Ribes alpinum. 1 to 1 1/4 ft	
aureum. Flowering Currant. 6 to 12 in 25 2 00	18 00 27 50
Robinia kelseyi. 6 to 12 in	2. 50
1 to 2 ft	10 00
viscosa. Clammy Locust. 4 to 6 ft	

DECIDUOUS TREES AND SHRUBS	, cont	inued	
Rosa blanda. Meadow Rose, 1 to 2 ft	Each \$0 35	10 \$3 00	100 \$25 00
humilis. Pasture Rose. I to 2 ftluelda. Glossy Rose. 6 to 12 in	30 20	2 50 1 50	12 50
1 to 2 ft	25 35	2 00	17 50 25 00
nitida. 6 to 12 in	25	1 50	12 50
rublginosa. Sweetbrier. 1 to 2 ft	35 50	$\frac{3}{4} \frac{00}{00}$	25 00 30 00
1 to 1 1/2 ft	25 40	2 00 3 50	17 50 30 00
1½ to 2 ftrugosa alba. Japanese White Rose. 20 to 30 in.	60 60	5 00 5 00	45 00
1 to 1½ ftsetlgera. Prairie Rose. 1 to 2 ft	50 40	4 00 3 50	35 00 30 00
splnoslssima. Scotch Rose. 6 in	40	3 50	30 00
Rubus deliciosus. Rocky Mountain Flowering			
Raspherry. 1 to 2 ft	60 20	5 00	12 50
St. Regis. Everbearing Raspberry. Salix humilis. Prairie Willow. 1 to 2 ft	50 25	4 00 2 00	
Sambucus canadensis. Am. Elder. 1 to 1½ ft	$\begin{array}{c} 40 \\ 25 \end{array}$	$\frac{3}{2} \frac{00}{00}$	17 50
1½ to 2 ft pubens. Red-berried Elder. 6 to 12 in	$\frac{35}{25}$	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \\ 1 & 75 \end{array}$	25 00 15 00
1 to 2 ft	30 75	$\begin{array}{c} 2 & 75 \\ 6 & 00 \end{array}$	25 00
Sorbus americana. American Mountain Ash.	40	3 00	25 00
Spartlum junceum. Spanish Broom	15 25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 50
1 to 136 it	35	3 00	17 50 25 00
1½ to 2 ft salicifolia. "Collected" clumps. 1 to 2 it	60 60	5 00 5 00	$\frac{40}{40} \frac{00}{00}$
tomentosum. Steeple Bush. 2 to 3 ft., elumps. thunbergil. Snow Garland. 2 to 3 ft van houttel. Bridal Wreath. 2 to 3 ft	50 50	4 00 4 00	30 00 30 00
3 to 4 ft	50 75	4 00. 6 00	30 00 50 00
Stuartia pentagyna. Alleghany Stuartia. 1 to 2 ft	35 1 00	3 00 8 00	27 50
2 to 3 ft	1 50 2 50	12 50 22 50	
Symphoricarnos naucillora. 12 to 18 in	40 50	3 00	30 00
racemosus. Snowberry. 2 to 3 ftvulgaris. Coral Berry. 2 to 3 ftSyringa vulgaris. Common Lilae. 1 to 2 ft., clps.	50	4 00	30 00
3 to 4 ft., clumps	40 75	$\frac{3}{6} \frac{00}{00}$	25 00 50 00
var. alba. 1 to 1½ ft	$\frac{25}{40}$	2 00 3 00	$\frac{17}{25} \frac{50}{00}$
ABIHBELL BIELEBUR. U 10 12 10	25	2 00	
Tilla americana. American Linden. 5 to 7 ft heterophylla. White Basswood. 4 to 6 ft	75 75	6 00 6 00	
Ulmus americana. American Elm. 5 to 6 ft	1 00	S 50 3 00	27 50
6 to 8 ft 10 to 12 ft	$\frac{60}{1.25}$	5 00 10 00	40 00 90 00
Vaccinium corymbosum. High Rush Rhabarry	2 50	22 50	
1 to 2 ft., "collected" clumps	75 1 50	$\begin{array}{ccc} 6 & 00 \\ 12 & 50 \end{array}$	50 00 100 00
3 to 4 ft., "collected" chumps	3 50 5 00	30 00 45 00	250 00
erythrocarpon. 1 to 2 ft	45	3 50	
pallidum. Mountain Bhieberry. 1 to 2 ft pennsylvanioum. Dwarf Blueberry.	60 40	5 00 3 00	27 50
"Collected" clumps stamineum. Deerberry, 1 to 1½ ft	40	3 00	27 50
Viburnum acerifolium. Maple-leaved Viburnum.	40	3 00	27 50
1 to 134 ft	$\frac{40}{25}$	3 00 1 50	12 50
alnifollum. Hobble Bush. 2 to 3 ft	75 30	$\begin{array}{c} 6 & 00 \\ 2 & 00 \end{array}$	50 00 15 00
1 to 2 ft	40 50	$\frac{3}{4} \frac{00}{00}$	27 50
2 to 3 ft	$\frac{20}{40}$	1 50 3 00	$\begin{array}{ccc} 12 & 50 \\ 25 & 00 \end{array}$
lantana. Wayfaring Tree. 1 to 2 ft	2 50 40	20 00 3 00	
molle. Soft-leaved Arrow-wood. 1 to 2 ft	60 50	5 00	40 00
opulus (oxycoccus). 6 to 12 in	20 50	1 50	12 50
var. nanum. Dwarf Cranberry Bush. 5 to 8 in plicatum. 2 to 3 ft	40	3 00	27 50
prunionum. Back Haw. I to 3 ft	60 60	5 00 5 00	40 00
3 to 4 ft tomeutosum. 2 to 3 ft.	75 50	1 00	30 00
Welgelia in varieties 2 to 3 ft.	75 60	6 00 4 00	50 00 30 00
Xanthorrhiza aplifolia. Yellow Root. 6 to 12 in Lighter. 6 to 12 in Xolisma ligustrina. Privet Andromeda. 1 to 2 ft	60 30	5 00 2 50	40 00 20 00
Xousma ligustrina. Privet Andromeda. 1 to 2 ft	30	2 00	-

Vines and Climbing Plants

	Each	10	100
Actinidia arguta. Silver Vine. 2 years	20. 20	\$4 00	100
Akebia quinata. 3 years.: Ampelopsis engelmannii. Scarlet Virgin	50	4 00	
Creeper. Strong, 2 years	40	3 50	\$30 00
Creeper. Strong, 2 years	50	4 00	Ç00 O0
guinquefolia. Virginia Creeper. Strong	75	6 00	0= 00
vertenii. Bosion ive	50	4 00	35 00 35 00
Miscolochia sipho. Dulennan's Pine. Strong	50	4 00	30 00
DIGHODIA Crucigera. Cross Vinc. 2 to 4 ft	20	2 00	
grandiflora. Trumpet Vine. 2 years	$\begin{array}{ccc} & 75 \\ & 20 \end{array}$	6 00 1 75	
radicans. Celastrus punctata. 2 to 3 ft	30	2 00	17 50
Standens, Billersweet Strong	•20	1 25	10 00
Clematis apiifolia. Parsley-leaved Clemati	s. (0	2 50	20.00
Heavycoccinea. Scarlet Clematis	40	3 50 3 50	30 00
crispa. Furble Clematic. Strong	.10	3 50	30 00
paniculata. Japanese Clematis. 2 years	. 40	3 50	30 00
3 years. virginiana. Virgin's Bower. Strong.	60 50	5 00 4 00	45 00 35 00
Euonymus radicans. Climbing Euonymus.		4 00	33 00
Strong, 2 years	. 40	3 50	30 00
var. Broad-leaved. Hedera helix. English Ivy. 2 years.	. 50 50	4 00	35 00
		1 00	8 00
Lonicera ocigica. 1 to 2 ft	40	3 50	0 00
		0.00	0.5.00
Strong	. 35 40	3 00 3 50	25 00
		1 75	15 00
chinense Periploca graca. Silk Vine Ross. Crimson Rembles.	. 20	1 75	15 00
Rosa, Crimson Rambler.	. 35	3 00	25 00
Dorothy Perkins. Well branched	- 95	$\frac{1}{1} \frac{75}{75}$	15 00 15 00
FATOURIT. Well branched	1) 5	i 75	15 00
LAGV trav. Well bronologi	0.5	1 75	15 00
Wm. C. Egan. Well branched multiflora. Japanese Climbing Rose. 1 to 2 ft.		$\begin{array}{c} 1.75 \\ 1.75 \end{array}$	15 00
wichuralana. Memorial Rose	. 35	3 00	25 00
Nuous laciniatus. Cut-leaved Blackberry.			
1 to 2 ft	. 45 75	3 50 6 00	
radicans. Vinca major. Larger Periwinkle.	. 20	1 75	
Vinca major. Larger Periwinkle	. 20	1 25	10 00
minor. Periwinklevar. alba. White Periwinkle	. 20	1 25	10 00
VILIB Coignetine	60	$\frac{2}{5} \frac{00}{00}$	17 50
COMCORD. Concord Grane Hange	75	6 00	50 00
wistaria chinchsis alba. 6 to 12 in	50	4 00	30 00
magnifica. Strong. muitijuga. Japanese Wistaria	. 50 . 75	4 00 6 00	
Var. alga	7.5	6 00	
var. chinensis.	75	6 00	
Some extra-heavy Wistarias	. 2 00		

Hardy Herbaceous Perennials

The sizes following Herbaceous Plants and Ferns indicate the size the plant may be expected to attain under cultivation.

	Each	10	100	1,000
Actma rubra. Red Baneberry	\$0.30	\$2 00	\$15.00	-,000
Anemone japonica, Queen Charlott	e. 25	2 00	15 00	
Whiriwind	25	2 00	15 00	
Armoria robusto	00			
Armeria robusta	20	1 75	12 00	
Asters, in variety		1 25	10 00	
spectabilis, var. nenco	40	3 00		
Baptisia tinetoria. Yellow Ind	100.			
lieavy elumps.	30	2 50	15 00	
Bicuculla (Dicentra) eximia.	Vild			
Bleeding Heart	20	1.50	12 00	
spectabilis. Bleeding Heart	35	3 00	12 00	
BRODIÆAS should be ordered in su	mnier and	in		
no event later than October I.	for the cu	ır-		
rent season's shipment.				
californica		60	4 00	35 00
eapitata. Blue		30	2 00	15 00
coccines & to Lin diameter		50		
coccinea. 1/2 to 1 in. diameter		60	4 00	35 00
grandifiora. Blue		30	2 00	15 00
ixioides var. splendens. Very fine	yellow	40	2 50	22 00
inxa. Fine; blue in umbels		30	2 00	15 00
peduneularis. White, Fine for wet	places	40	2 50	22 00
Tolubilis. Twining hyacinth, 5 to 8 i	n. diam	60	4 00	35 00
Calochortus albus. Pearly white		30	2 00	15 00
benthami. A charming yellow cup.		30	2 00	15 00
catalines Lileas fine sale		1 50		19 00
cataline. Lilac; fine eye		. 1 50	8 00	
gunnisonii. Superb; white; hardy.		. 1 25	6.00	

HARDY HERBACEOUS PEREN	NIA	LS, co: 10	ntinue 100	1,000
Calochortus leichtlinii. White, Alpine		\$1 00	\$4 00 2 00	\$35 00
Haelnus. Satiny lilae		30 30	2 00	15 00 15 00
macrocarpus		1 25 40	6 00 3 00	
nitidus. Very fine. Lilae, purple blot	ehed;			25.00
plummeræ. Superb. Fine lilac		40 1 50	3 00 8 00	25 00
splendens type. Fine lilaevenustus eltrinus. Deep yellow		1 00	4 00 2 00	35 00 15 00
var. oculatus. White or tinted lilae		30	2 00	15 00
var. purpurascens. Purplevar; roseus		1 00 1 00	4 00 4 00	35 00 35 00
vesta. Finest Mariposa Tulip. Very fine b Caltha palustris. Marsh Marigold Es	ulbs.		6 00 10 00	45 00
Carex fraseri. Evergreen Sedge\$0		1 25 1 75	15 00	
Chelone glabra. Turtle-Head	20 20	1 50 1 50	$12 50 \\ 12 50$	
lyoni	25	2 00	15 00	
Cimileifuga racemosa. Biaek Snakeroot	20	1 50	12 50	
Cornus canadensis. "Collected" clumps. Convallaria majalis. Lily-of-the-Valley	20 15	1 25 1 00	10 00 8 00	
Cypripedium acaule. Moccasia Flower.	15	1 25	10 00	
reginæ. Showy Lady's Slipper. 1 to 2 crowas	30	2 50	20 00	
3 to 4 erowns	75 25	6 00 10 00	50 00 80 00	
7 to 8 crowns 1	75 1	15 00		
Dodecatheon (Shooting Star; American Commost charming of all our early wild				
below are easily grown in borders wh	ere tl	hey are	subject	to con-
siderable drought after blooming. clevelandl. Tall-growing form, with pure				100
eate pink flowers	ith re	d flower	\$1 00 s. 1 00	\$4 00 4 00
patulum. White, pale eream-color or rare	ly pir	nkish	1 00	4 00
radicatum. Flowers deep rose-color Drosera rotundifolia				8 00 8 00
Erythronium (Dog's-Tooth Violet). These	e sma	ıll, bull	oous pla	
extremely handsome in foliage and flo should be massed in cool, moist woo	owers, odlanc	, but to ls or b	get best orders o	resul ts ralong
streams. They are among the earlies their mottled leaves, make a very fiae,	st spr	ring flo	wers an	d, with
locations.	1,000			11111111111111111111111111111111111111
	2 1.			1.000
albidum. Leaves not mottled. Flowers I white, yellow at hase	ach	10	100 \$12 00	1,000
albidum. Leaves not mottled. Flowers I	ach	10	100	1,000
albidum. Leaves not mottled. Flowers F white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout castern states	Fach	10	100	1,000 \$16 00
albidum. Leaves not mottled. Flowers F white, yellow at base	Fach	\$1 50 50	100 \$12 00 2 00	\$16 00
albidum. Leaves not mottled. Flowers F white, yellow at base	Fach	\$1 50	100 \$12 00	
albidum. Leaves not mottled. Flowers F white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout castern states	Fach	\$1 50 50	100 \$12 00 2 00 2 00 4 00	\$16 00 16 00 35 00
albidum. Leaves not mottled. Flowers I white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandifforum. Bright yellow, with	each	10 \$1 50 50 50 1 00 1 00	100 \$12 00 2 00 2 00 4 00 4 00	\$16 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout castern states	each	10 \$1 50 50 50 1 00 1 00	100 \$12 00 2 00 2 00 4 00 4 00 4 00	\$16 00 16 00 35 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with	each	10 \$1 50 50 50 1 00 1 00	100 \$12 00 2 00 2 00 4 00 4 00	\$16 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers I white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiforum. Bright yellow, with unmottled leaves. hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers.	each	10 \$1 50 50 50 1 00 1 00	100 \$12 00 2 00 2 00 4 00 4 00 4 00	\$16 00 16 00 35 00 35 00 35 00
albidum. Leaves not mottled. Flowers I white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout castern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves oitrinum. Light yellow, orange at center, tips becoming pink. grandifforum. Bright yellow, with unmottled leaves hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow,	Fach	10 \$1 50 50 50 1 00 1 00 1 00 50 1 00	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50 4 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00
albidum. Leaves not mottled. Flowers I white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout castern states oalifornioum. Cream-colored flowers, often if to 5 on a stem, and richly mottled leaves oitrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers purpurascens. Small, spreading flowers	Fach	10 \$1 50 50 50 1 00 1 00 1 00 50	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50	\$16 00 16 00 35 00 35 00 35 00 16 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves oitrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graolilima. \$6		10 \$1 50 50 50 1 00 1 00 50 1 00 1 00	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50 4 00 4 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves oitrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graolilima) 25 15	10 \$1 50 50 50 1 00 1 00 50 1 00 1 00 1 00 2 00 1 25	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50 4 00 4 00 4 00 15 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoilifma. Eupatorium ageratoides. White Snakeroot. purpureum. Trumpet Weed.) 25 15 20	10 \$1 50 50 50 1 00 1 00 50 1 00 1 00 1 00 2 00 1 25 1 75	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50 4 00 4 00 4 00 15 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly inottled leaves oitrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoiliima. Stepatorium ageratoides. White Snakeroot purpureum. Trumpet Weed Festuoa glauca Fritiliaria biflora. Nearly black, Low;) 25 15	10 \$1 50 50 50 1 00 1 00 50 1 00 1 00 1 00 2 00 1 25 1 75 1 50	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50 4 00 4 00 15 00 10 00 15 00 12 50	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers I white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout castern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves oitrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graofilima) 25 15 20	10 \$1 50 50 50 1 00 1 00 50 1 00 1 00 1 00 2 00 1 25 1 75	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50 4 00 4 00 4 00 15 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoiliima. Eupatorium ageratoides. White Snakeroot. purpureum. Trumpet Weed. Festuoa glauca. Fritillaria biflora. Nearly black. Low; bell-shuped. purpifora. Very fine. Nearly purple red coceinea. Deep crimson.) 25 15 20	10 \$1 50 50 50 1 00 1 00 1 00 1 00 1 00 1 00	100 \$12 00 2 00 2 00 4 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 12 50 6 00 6 00 4 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often if to 5 on a stem, and richly mottled leaves oitrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegli. Yellow, each flower on a separate stalk. hendersonli. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoilifma) 25 15 20	10 \$1 50 50 50 1 00 1 00 1 00 50 1 00 1 00 2 00 1 25 1 75 1 25 1 25 1 00 1 25 75	100 \$12 00 2 00 4 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 12 50 6 00 6 00 6 00 3 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often it to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoilima. Eupatorium ageratoides. White Snakeroot. purpureum. Trumpet Weed. Festuoa glauca. Fritillaria biflora. Nearly black, Low; bell-shipped. pluriflora. Very fine. Nearly purple red coceinca. Deep crimson. lanceolata gracilis. Nearly black-purple) 25 15 20	10 \$1 50 50 50 1 00 1 00 1 00 50 1 00 1 00 2 00 1 25 1 75 1 50 1 25 1 00 1 25	100 \$12 00 2 00 2 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 10 00 10 00 6 00 6 00	\$16 00 16 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graofilima. Eupatorium ageratoides. White Snakeroot. purpureum. Trumpet Weed. Festuoa glauca Fritillaria biflora. Nearly black, Low; bell-shaped. pluriflora. Very fine. Nearly purple red coceinca. Deep crimson. lanceolata graciiis. Nearly black-purple recurva. Orange-scarlet. 34 to 1 in. diam. Order Fritillarias before Oct. 1, if possible. Galax aphylla. Galax, or Coltsfoot.	25 15 20 20	10 \$1 50 50 50 1 00 1 00 1 00 1 00 1 00 1 00	100 \$12 00 2 00 4 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 12 50 6 00 4 00 6 00 4 00 18 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves oltrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegli. Yellow, each flower on a separate stalk. hendersonli. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoilima	25 15 20 20	10 \$1 50 50 50 1 00 1 00 1 00 50 1 00 1 00 2 00 1 25 1 75 1 50 1 25 1 00 1 25 1 00	100 \$12 00 2 00 4 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 12 50 6 00 6 00 4 00 6 00 3 00 4 00	\$16 00 16 00 35 00 35 00 35 00 16 00 35 00 35 00
albidum. Leaves not mottled. Flowers white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves oitrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegli. Yellow, each flower on a separate stalk. hendersonli. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoilima	35 15 20 20 20	10 \$1 50 50 50 1 00 1 00 1 00 1 00 1 00 2 00 1 25 1 75 1 50 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 25 1 00 1 25 1 25 1 00 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 0	100 \$12 00 2 00 4 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 12 50 6 00 6 00 4 00 6 00 3 00 4 00 18 00 8 00	\$16 00 16 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 25 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple. Eulalia graofilima. Scretch and the purpureum. Trumpet Weed. Festuoa glauca. Fritillaria biflora. Nearly black. Low; bell-shaped. pluriflora. Very fine. Nearly purple red coceinca. Deep crimson. lanceolata graciiis. Nearly black-purple recurva. Orange-scarlet. \$4 to 1 in. diam. Order Fritillarias before Oct. 1, if possible. Galax aphylla. Galax, or Coltsfoot. Habenaria oiliaris. Yellow Orchis. Helenium autumnale. Helonias buliata. Swamp Pink. Hemerooallis, Gold Dust. middendorflana.	35 15 20 20 35 15 15 20 20 20	10 \$1 50 50 50 1 00 1 00 1 00 1 00 1 00 1 00	100 \$12 00 2 00 2 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 10 00 1	\$16 00 16 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 25 00
albidum. Leaves not mottled. Flowers white, yellow at base. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves oltrinum. Light yellow, orange at center, tips becoming pink grandiflorum. Bright yellow, with unmottled leaves hartwegii. Yellow, each flower on a separate stalk hendersonii. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graofilima	35 15 20 20 35 15 15 20 20	10 \$1 50 50 50 1 00 1 00 1 00 2 00 1 25 1 75 1 50 1 25 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 0	100 \$12 00 2 00 2 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 10 00 1	\$16 00 16 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 25 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegli. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graoilima. Eupatorium ageratoides. White Snake-root. purpureum. Trumpet Weed. Festuoa glauca. Fritillaria biflora. Nearly black. Low; bell-shaped pluriffora. Very fine. Nearly purple red coceinea. Deep crimson. lanceolata graceliis. Nearly black-purple recurva. Orange-scarlet. 34 to 1 in. diam. Order Fritillarias before Oct. 1, if possible. Galax aphylla. Galax, or Coltsfoot. Habenaria oiliaris. Yellow Orchis. Helenium autumnale. Helonias bullata. Swamp Pink. Hemerooallis, Goid Dust. middendorfiana. orangeman thunbergii. Heuchera sanguinea. Coral Bells.	35 15 20 20 20 20 20 20 20 20	10 \$1 50 50 50 1 00 1 00 1 00 2 00 1 25 1 75 1 50 1 25 1 00 2 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 25 1 00 1 25 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 0	100 \$12 00 2 00 2 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 10 00 1	\$16 00 16 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 25 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly inottled leaves oltrinum. Light yellow, orange at center, tips becoming pink glganteum. grandiflorum. Bright yellow, with unmottled leaves hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple Eulalia graofilima	35 15 20 20 20 20 20 20 20 20 20 75	10 \$1 50 50 1 00 1 00 1 00 1 00 1 00 1 00 1	100 \$12 00 2 00 4 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 12 50 6 00 6 00 4 00 6 00 4 00 15 00 10 00	\$16 00 16 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 25 00
albidum. Leaves not mottled. Flowers white, yellow at hase. americanum. Bright yellow. Leaves mottled white. Common throughout eastern states. oalifornioum. Cream-colored flowers, often 4 to 5 on a stem, and richly mottled leaves. oltrinum. Light yellow, orange at center, tips becoming pink. glganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegii. Yellow, each flower on a separate stalk. hendersonii. Flowers light purple with dark centers. purpurascens. Small, spreading flowers crowded in a raceme; light yellow, becoming purplish. Smallest species. revolutum. Pink flowers, becoming purple. Eulalia graofilima. Scretch and the purpureum. Trumpet Weed. Festuoa glauca. Fritillaria biflora. Nearly black. Low; bell-shaped. pluriflora. Very fine. Nearly black-purple recurva. Orange-scarlet. \$4 to 1 in. diam. 1 to 1 ¼ in. diam. Order Fritillarias before Oct. 1, if possible. Galax aphylla. Galax, or Coltsfoot. Habenaria ofliaris. Yellow Orchis. Helenium autumnale. Helonias buliata. Swamp Pink. Hemerocallis, Gold Dust. middendorflana. orangeman. thunbergii. Heuchera sanguinea. Coral Bells.	35 15 20 20 20 20 20 20 20 20	10 \$1 50 50 50 1 00 1 00 1 00 2 00 1 25 1 75 1 50 1 25 1 00 2 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 25 1 00 1 25 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 25 1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 0	100 \$12 00 2 00 4 00 4 00 4 00 2 50 4 00 15 00 10 00 15 00 12 50 6 00 6 00 4 00 6 00 4 00 15 00 10 00	\$16 00 16 00 35 00 35 00 35 00 35 00 35 00 35 00 35 00 25 00

HARDY HERBACEOUS PEREN	NIA ich	LS, co	ntinued	1,000
Irls germanica. Mixed varieties\$0		\$1 50 1 50	\$12 50 12 50	1,000
pseudadorus pumiia	20	1 50	12 00	
slbiricaverslcoior. Blue Flag	20 15	1 50 1 00	8 00	
Lacinaria pumila. Button Snakeroot pyenostachya	20 20	1 50 1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$	
spicata	15	1 25	10 00	
8 to 9 in		1 50	12 00	
9 to 11 inbolanderieanadense. Wild Yellow Lily. 2d size.		2 00 5 00	18 00 40 00	
eanadense. Wild Yellow Lily. 2d size.		1 00	5 00 7 00	\$36 00 60 00
canadense rubrum. 1st size candidum. Madonna Lily		2 00 1 25	18 00 10 00	80 00
carolinianum. Carolina Lily. 2d size		$\frac{1}{1} \frac{00}{25}$	7 00 10 00	60 00
columbianum. 2nd size		2 00 3 50	16 00 25 00	
Ist size		1 00	6 00	50 00
lst size		1 25 7 00	10 00 60 00	80 00
henryihumboidtii. 7 to S io		10 00 3 00	80 00 20 00	160 00
S to 9 in		3 50 6 50	25 00 45 00	180 00
var. bloomerlanumkaliogii		3 50 6 50	25 00 45 00	
marltimum		6 50	45 00	
pardalinum. Single		1 50 2 00	12 00 16 00	
parryll. Medium Large		6 50 8 00	45 00 70 00	
parvlflorumparvum. Medium		$\frac{2}{3} \frac{00}{50}$	16 00 25 00	
Large,		6 50 75	45 00 6 00	50 00
phliadelphicumroezlli		3 50	25 00	00 00
rubescensspeciosum album. S to 9 in		6 50 2 00	45 00 18 00	160 00
9 to 11 invar. melpomene. 8 to 0 in		3 50 1 50	25 00 12 00	220 00 100 00
0 to 11 in var. rubrum. 8 to 9 in		2 00 1 50	$\frac{16}{12} \frac{00}{00}$	140 00 100 00
9 to 11 insuperbum. Turk's-Cap Lily. 3d size		2 00	16 00 2 00	140 00 18 00
2d size		75 1 00	5 00 8 00	30 00 60 00
1st size tenulfolium. Siberian Coral Lily		1 50	12 00	100 00
tlgrinum. Tiger Lilytlgrinum fl. pi. Double form		1 00	8 00	60 00 60 00
wallacei. Dwarf Specieswashingtonianum. 7 to 8 in		$\frac{1}{2} \frac{50}{50}$	12 00 20 00	
8 to 9 in		4 00 5 00	30 00 40 00	
Limodorum (Calopogon) pulchelius Lycopodium, in variety	$\frac{20}{15}$	1 50 1 00	12 00 8 00	
Lythrum salicaria, var. roseum	20 75	1 50 6 00	12 50 50 00	
Preonles, in variety. Strong clumps Strong plants, with 2 or 3				
Papaver nudicaule	25 20	1 75		
Phlox decussata, in variety	30 15	2 00 1 00	18 00 8 00	
var. alba. White Phlox Polygonatum commutatum. Solo-	15	1 00	8 00	
mon's Seal	20 15	1 50 1 00	12 00 8 00	
Porteranthus (Gillenia) stipulatis	15 20	1 00 i 50	8 00	
Ranuncuins repens	20 15	1 50	36 00 6 00	36 00
Sanguinaria canadensis. Bloodroot Sanguinaria is shipped entirely at	10		0 00	00 00
consignee's risk. Sarracenia drummondil	25	1 75	15 00	
flava. psittacina.	25 25	1 75 1 75	15 00 15 00	
purpurea. Northern Pitcher Plant	20 25	1 25 1 75	10 00 15 00	
variolaris (minor)eatesbæi	25 25	1 75 1 75	15 00 15 00	
Sedum (Stenecrop), in varietylydium	15 20	1 00 1 50	8 00 12 50	
spectabile	20 20	1 50 1 50	12 50 12 50	
Sempervivum acuminatum. Single	20	1 25 1 25	10 00	
arachnoideum. Sioglearenarium. Single	20	1 25	10 00	
fimbriatum. Single	20 20	1 25 1 25	10 00	
mitteniamum nanum. Single soboliferum (globiferum). Single	20 20	1 25 1 25	10 00 10 00	
tectorum. Singleviolaceum. Siogle	20 20	1 25 1 25	10 00 10 00	
violaceum. Siogie				

Catalog of BOXFORD NURSERY

HARDY HERBACEOUS PERE	NNLA	ALS, co	ntinne	1
Ţ.	Each	10	100	1,000
Shortla galacifolia. 2d size		\$3 00	\$25 00	1,000
1st size	75	6 00	50 00	
Solidago, in varlety	15	1 25	10 00	\$90 00
Spigelia marllandica	50	4 00	30 00	4 50 00
Stenanthlum robustum. Mountain	•	1 00	00 00	
Feather Fleece. 2nd size	20	1 50	12 50	
1st size	40	3 00	26 00	
Trillium cernuum	•••	1 00	8 00	
erectum. Erect Wake Robin. 2nd size		40	3 00	18 00
1st size		$\tilde{7}\tilde{5}$	5 00	10 00
var. album		1 00	8 00	
grandlflorum. 2nd size		30	1 50	12 00
Ist size		60	3 50	20 00
nlyale		1 00	8 00	
ovatum		75	5 00	30 00
recurvatum		75	6 00	50 00
sessile. Snow Queen		75	6 00	50 00
var. callfornicum		75	6 00	50 00
var. rubrum		75	6 00	50 00
stylosum. Nodding Trillium.				
2nd size		60	4 00	30 00
1 st size		75	6 00	50 00
Painted Wake Robin. 2nd size		60	4 00	00.00
1st size		75	4 00	30 00
Thailetrum cornuti	15		6 00	40 00
Tymbe lettfelle. Cet tell	15	1 00	8 00	
Typha latifolla. Cat-tail	15	1 00	8 00	
Viola cornuta	15	1 00	8 00	60 00
pedata	15	1 00	8 00	
pedata blcolor	25	1 75	14 00	
Yucca flacelda. Clumpsglauca. Adam's Needle. Green	50	4 00		
grades. Admit s recenie. Green	30	2 50		

Hardy Native Ferns

	,	
Adlantum pedatum. Maidenhair FernPer 10	100	1,000
8 to 20 in	\$8 50	\$ 75 00
Fern. 8 to 20 in	6 00	50 00
braunll: 16 to 36 in	12 50	30 00
cristatum, 1 to 2 ft	6 00	
var. elintonianum. 16 to 52 in 1 00	8 50	
fillx-mas. 12 to 44 in		
	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$	
		50.00
	6 00	50 00
	17 50	
	6 00	
	8 00	
	12 50	
	8 00	
Aspienium angustifolium. 3 to 4 in	10 00	
chenoum. 9 to 48 in	8 00	
thelyptered as filling G	8 00	
thelypteroides. Silvery Spicenwort. 2 to 3 ft 1 00	8 00	D
trichomanes. Maidenhair Spicenwort. 3 to 8 in. 1 00	8 00	
Botrychium ternatum dissectum 1 00	8 00	
obliquum. 4 to 16 in	8 00	
virginianum. Virginia Grape Fern. 1 to 2 it 1 00	8 00	
Camptosorus rhizophyllus. Walking Fern. 4 to 12 in	10.00	
	10 00	
Customeric bulbifore Blodder Francisco 1 to 8 to 1		
Cystopteris bulbifora. Bladder Fern. 1 to 2 ft 75 fragills. Brittle Fern. 4 to 12 in	6 00	
District of the result of the state of the s	8 00	
Dicksonia punetllobula. Hay-scented Fern. 20 to 40 in	0.00	20.00
	8 00	60 00
	12 50	
Unociea sensibilis. Sensitive Fern. 4 to 12 in 1 00	8 00	60 00
Struthlopteris. 2 to 10 ft 1 00	8 00	
Ophioglossum vulgatum. 2 to 42 in	8 00	
22 to 62 in	10.00	100
32 to 63 in	12 00	100 00
claytoniana. Clayton's Fern. 2 to 4 ft	12 00	100 00
gracilis. 2 to 6 in	8 00	
Pellea atropurpurea. Purple-stemmed Cliff Brake	12 00	
	10.00	
4 to 24 in 1 50	12 00	
densa	8 00	
	12 00	
	8 00	
	8 00	
Folypodium falcatum, 6 to 15 in 1 95	8 00	
	10 00	45 00
Pteris aquilina. Common Brake. 4 to 36 in 75	6 00	45 00
Scolopendrium vulgare	5 00 20 00	30 00
Scolopendrium vulgare 3 00 Woodsia livensis. Rusty Woodsia 1 00	8 00	
Optuma Dilling-loded Woodsta, S to 20 in 1 00	8 00	
Woodwardia angustifolia		
virginica. Virginia Chain Fern. 24 to 64 in 1 00	12 50 8 00	
The state of the s	3 00	
19		



Eupatorium ageratoides. A splendid "filler" for Shrub Plantings, blooming in September. Finef or cut-flowers.



The beautiful Stenanthium robustum at Highlands Nursery. It seems difficult to establish this remarkable plant in the North and West. At Topsfield, Mass., it is thriving in open sun on the "mucky" border of a pond.



Abies fraseri, or Fraser's Balsam, as a windbreak or screen at Highlands Nursery. This stlendid Evergreen is a revelation to those who have found out its great superiority to the Abies balsamea.

Catalog of BOXFORD NURSERY



Abies fraseri

"And to paint these home pictures we need chiefly American material. We must face this deadly parallel:"

What We Really

70% European trees and shrubs and horticultural varieties.

20% Chinese and Japanese.

10% American.

What We Ought to Plant

70% American trees and shrubs, i. e., native to America.

20% Chinese and Japanese.

10% European and horticultural.

Wilhelm Miller in "What England Can Teach
Us About Gardening"

HARLAN P. KELSEY, Owner

SALEM, MASS.